422 Rec'd PCT/PTO 0 1 JUN 2000

Express Mail Label No. EL566349617

FORM PTO-1390 ATTORNEY'S DOCKET NUMBER (REV 12-29-99) SHP-PT059 TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371 INTERNATIONAL APPLICATION NO. INTERNATIONAL FILING DATE 4 December 1997 PCT/GB98/03686 4 December 1998 HLA-E BINDING TITLE OF INVENTION APPLICANT(S) FOR DO/EO/US Braud et al. 424 Rec'd PCT/PTO Applicant herewith submits to the United States Designated/Elected Office (DO/HO/US) the following items and other information: 1. X This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. This express request to begin national examination procedures (35 U.S.C. 371(f) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C371(b) and PCT Articles 22 and 39(1). A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date. 5. X A copy of the International Application as filed (35 U.S.C. 371(c)(2)) X is transmitted herewith (required only if not transmitted by the International Bureau). has been transmitted by the International Bureau. is not required, as the application was filed in the United States Receiving Ofice (RO/US). A translation of the International Application into English (35 U.S.C. 371(c)(2). Amendments to the claims of the International Application under PCT Article 19(35 U.S.C. 371(c)(3)) are transmitted herewith (required only if not transmitted by the International Bureau). have been transmitted by the International Bureau. have not been made; however, the time limit for making such amendments has NOT expired. have not been made and will not be made. · 8. A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)). 9. An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). 10. A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)). Items 11. to 16. below concern document(s) or information included: An Information Disclosure Statement under 37 CFR 1.97 and 1.98. An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included. A FIRST preliminary amendment. A SECOND or SUBSEQUENT preliminary amendment. A substitute specification. A change of power of attorney and/or address letter. 16. X Other items or information: - International Search Report (included with International Publication); - International Preliminary Examination Report; and - Certificate of Mailing by Express Mail.

: 4

4. 32

ON THIEF TWW OTTIGEFOOMS

SHP BRISTOL

ISIS INNOVATION

**2**004

PTO/SBM1 (12-8 Approved for use through 9/30/00. OMB 0881-04-04 Mark and Tradomark Office! U.S. DEPARTMENT OF COMMERC

STATEMENT CLAMING SMALL ENTITY STATUS  (37 CFR 1.9(f) & 1.27(d))—NONPROFIT ORGANIZATION	Docket Number (Optional) SHP-PT058			
Applicant, Patentee, or identifier;Braud et al. Application or Patent No.: 09/555,555 Filed or Issued: Not Yet Known				
THE HLA-E BINDING				
I hereby state that I am an utificial empowered to aut on behalf of the nonprofit organization Ide NAME OF NONPROFIT ORGANIZATION Isis Innovation Limited of Oxford University ADDRESS OF NONPROFIT ORGANIZATION Ewert House, Ewert Piece, Summer United Kingdom	ersity			
TYPE OF NONPROFIT OR CANIZATION: 図 UNIVERSITY OR OTHER INSTITUTION OF HIGHER EDUCATION				
☐ TAX EXEMPT UNDER INTERNAL REVENUE SERVICE CODE (28 U.S.C. SO1(a) and 501	1( <del>=</del> )(3))			
ONPROFIT SCIENTIFIC OR EDUCATIONAL UNDER STATUTE OF STATE OF THE UN (NAME OF STATE)	ITED STATES OF AMERICA			
☐ WOULD QUALIFY AS TAX EXEMPT UNDER INTERNAL REVENUE SERVICE CODE (ZEIFLOCATED IN THE UNITED STATES OF AMERICA	U.S.C. 501(a) and \$01(c)(3)}			
☐ WOULD QUALIFY AS NONPROFIT SCIENTIFIC OR EDUCATIONAL UNDER STATUTE STATES OF AMERICA (NAME OF STATE (CITATION OF STATUTE)	OF STATE OF THE UNITED			
I hereby state that the nonprofit organization identified above qualifies as a nonprofit organization for purposes of paying reduced fees to the United States Patent and Trademark Office regains:	- ' nbation as delined in 37 CFR unding the invention described			
the specification filed herewith with title as listed above. In application identified above.  the patent identified above.				
I hereby state that rights under contract or law have been conveyed to and remain with the nonprofit organization regarding the above identified invention. If the rights held by the nonprofit organization are not exclusive, each individual, concern, or organization having rights in the invention must file separate statements as to their status as small entities and that no rights to the invention are held by any person, other than the inventor, who would not qualify as an independent inventor under 37CFR 1.9(c) if that person made the invention, or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).				
Each person, concern, or organization having any rights in the invention is fixted below:				
ino such person, concern, or organization exists. □ each such person, concern, or organization is listed below.				
I acknowledge the duty to file, in this application or patent, notification of any change entitlement to small entity status prior to paying, or at the time of paying, the earliest of the last due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.26(b)	a fan at anu mainteanana fan			
Dr. T. Cook				
NAME OF PERSON SIGNING Managing Director	,			
TITLE IN ORGANIZATION OF PERSON SIGNING				
ADDRESS OF PERSON SIGNING EWEST House Ewest Place Sun	mentown, Oxford			
SIGNATURE DATE 28-7-	00			

Burden Hour Statement. This form is systmated to take 0.2 Nature to complete. Time will very depending upon the recets of the holyldust case. Any comments on the empount of time you are required to complete his form should be sent to the Chief Information Officer, Patent and Tradomark Officer, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

# 09/555555

Our File: SHP-PT059

June 1, 2000

Date:

# Express Mail Label No. EL566349617 A22 Rec'd PCT/PTO 0 1 JUN 2000 PATENT THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the **PATENT APPLICATION** of:

Braud et al.

**Application No.:** 

Not Yet Known

Filed:

Not Yet Known

For:

**HLA-E BINDING** 

Group:

Not Yet Known

Examiner:

Not Yet Known

# PRELIMINARY AMENDMENT

Box PCT

**Assistant Commissioner for Patents** 

Washington, D.C. 20231

Sir:

Prior to examination, please amend the application as follows.

## IN THE ABSTRACT

The Abstract has been reproduced and is submitted herewith on a separate sheet numbered page 40.

#### IN THE CLAIMS

In claim 8, line 1, please delete "any one of claims 5 to 7" and insert therefor --claim 5--.

In claim 13, line 1, please delete "any one of claims 9 to 12" and insert therefor -- claim 9--.

the graph man was the control to the

In claim 14, line 2, please delete "or claim 4".

In claim 16, line 2, please delete "or claim 15".

In claim 17, line 4, please delete "or claim 4, or claim 8,".

In claim 23, lines 1-2, please delete "any one of claims 20 to 22" and insert therefor

--claim 20--.

In claim 28, line 2, please delete "any one of claims 24 to 26" and insert therefor --

claim 24--.

The first term that the term that the term to the term that the term that the term that the term that the term

225

REMARKS

The Abstract has been reproduced on a separate sheet in accordance with U.S.

practice. Claims 8, 13, 14, 16, 17, 23 and 28 have been amended to delete reference to

multiple claims. Early consideration and allowance of pending claims 1-29, as amended,

is respectfully requested.

Respectfully submitted,

Braud et al.

C. Frederick Koenig III, Esquire

Registration No. 29,662

(215) 568-6400

Volpe and Koenig, P.C. Suite 400, One Penn Center

1617 John F. Kennedy Boulevard

Philadelphia, PA 19103

CFK/ras

Enclosure

-2-

4 PART

09/555555 422 Rec'd PCT/PTO 01 JUN 2000

WO 99/28748

5

20

25

PCT/GB98/03686

-1-

#### **HLA-E BINDING**

This invention relates to methods of identifying, targeting and of isolating a group of CD94+ cells, in particular a group of CD94+ cells including natural killer (NK) cells and a subset of T cells. The invention also relates to methods of targeting functional moieties such as toxins to the CD94+ cells. The invention further relates to multimeric complexes of HLA-E for use in the methods.

Human leukocyte antigen-E (HLA-E) is a nonclassical MHC
class Ib molecule of very limited polymorphism. Human nonclassical MHC
class Ib molecules (which include HLA-E, HLA-F and HLA-G) are
homologous to classical MHC class Ia molecules (HLA-A, HLA-B and HLA-C) but are characterised by limited polymorphism and low cell surface
expression (reviewed in Shawar et al 1994 *Annu. Rev. Immunol.* 12: 839).
The mouse MHC class Ib molecule Qa-1 shares some characteristics with
HLA-E in that it displays a broad tissue distribution and some structural
similarities in the peptide-binding groove (reviewed in Soloski et al 1995
Immunol. Rev. 147: 67).

Whereas the function of the classical MHC class I molecules in presenting peptides derived from cytosolic proteins to CD8+ T cells is well-established, the function of nonclassical MHC molecules remains unknown, in particular for HLA-E. HLA-E is transcribed in most tissues. Recently, we have shown that HLA-E is able to bind in its peptide-binding site peptides derived from MHC class I leader sequences at positions 3 to 11 (Braud et al 1997 *Eur. J. Immunol.* 27: 1164-1169). The optimum binding peptide is a nonamer. Using alanine and glycine substitutions, it was established that there are primary anchor residues at position 2 and 9 of the peptide and secondary anchor residues at position 7 and possibly position 3. The literature suggests that HLA-E is localised in the

15

20

25

endoplasmic reticulum (ER) and might have a role in the loading of peptides onto classical MHC class I molecules in a similar way to HLA-DM for MHC class II molecules. Neither mouse cells transfected with HLA-E and human β2microglobulin (β2m) nor the 721.221 cell line which only expresses HLA-E and HLA-F, show surface expression of HLA-E (Ulbrecht et al, *J. Immunol. 1992* 149: 2945 - 2953 and *J. Exp. Med. 1992* 176: 1083 - 1090).

Assembly of MHC class I molecules occurs in the endoplasmic reticulum (ER) and requires peptide translocation through the transporter associated with antigen processing (TAP) (reviewed in Cerundolo et al 1996 In *HLA and MHC genes, molecules and function,* Edited by Browning M, McMichael A. Oxford: Bios. Scientific Publisher Ltd; 193 - 223). In human cells, newly synthesised MHC class I heavy chains associate with calnexin which is later displaced by the association of β2m. Following dissociation of calnexin, class I-β2m heterodimers are stably associated with another ER resident protein, calreticulin. Another molecule, tapasin, which is associated with TAP and with MHC class I calreticulin complexes, acts as a bridge between them. MHC class I association with TAP facilitates peptide binding and the class I molecules are released and exported to the cell surface upon stable loading of peptide.

Natural killer (NK) cells are cytotoxic cells which have the morphology of large granular lymphocytes and are normally defined by their activity. They use recognition systems which are not yet clearly understood. Recognition of tumour cell lines and virally-infected cells is however driven by the absence of MHC class I at the target cell surface (some MHC class I molecules interact with specific NK receptors). NK cell cytotoxicity is mediated by the interaction between Fas and Fas ligand or by the release of the contents of the intracellular granules including the

10

20

25

30

pore forming protein perforin and the serine protease granzyme B. NK cells are generally but not exclusively CD3- and CD56+. They may also be CD16+ and some are also CD8+. Certain CD8+ T cells have an NK cell-like function, in that they are able to kill MHC class I negative cells.

NK cells express receptors that interact with MHC class I and serve to inhibit or activate NK cell-mediated cytotoxicity. The killer cell immunoglobulin-like receptors (KIR), which are members of the immunoglobulin superfamily, make up one such group of receptors.

Another NK cell inhibitory receptor which has a similar effect is the CD94/NKG2A receptor from the C-type lectin superfamily, which is expressed at the cell surface as a heterodimer of CD94 covalently associated with NKG2A. CD94 also associates with other members of the NKG2 family, which consists of four closely related molecules NKG2A, B, C and E and two more distantly related molecules NKG2D and F. CD94/NKG2A and B are both inhibitory NK cell receptors which interact with MHC class I to inhibit NK cell lysis, while CD94/NKG2C is a stimulatory NK cell receptor which interacts with MHC class I to perform an NK cell triggering function.

The CD94/NKG2C activator receptor contains a third subunit DAP12, which is expressed as a disulphide-bonded homodimer and interacts with NKG2C via charged residues in the transmembrane domains (Lanier, 1998, *Nature* 391:703; Lanier et al, 1998, *Immunity* 8:693). DAP12 is necessary for efficient transport of the CD94/NKG2C complex to the cell surface. Ligation of CD94 on CD94/NKG2C/DAP12 transfectants causes tyrosine phosphorylation of DAP12, suggesting that it induces cellular activation via DAP12.

Four genes encode the NKG2 glycoproteins: NKG2A, NKG2C, NKG2E and NKG2D/F (Houchins et al, 1991, *J. Exp. Med.* 173: 1017; Plougastel et al, 1997, *Eur. J. Immunol.* 27: 2835). NKG2A and B are alternative splicing products (differing by an 18 amino acid segment

20

25

30

immediately outside the transmembrane region). NKG2C is highly homologous to NKG2A and B with 94% homology in the external C terminal domain and 56% homology through the internal and transmembrane regions. NKG2D is distantly but significantly related (21% homology) as too is NKG2F.

It has recently been discovered that HLA-E is stably expressed at a low level on the surface of cells. Its expression at the surface correlates with co-expression of human MHC class I molecules which possess a peptide in their leader sequence capable of binding to HLA-E. Loading of these signal sequence-derived peptides is TAP and Tapasin-dependent and HLA-E assembly appears to be similar to classical MHC class I assembly (Braud et al 1998 *Current Biology* 8:1-10).

It has now also been discovered that HLA-E binds to NK cells expressing receptors CD94/NKG2A, B and C. The majority of NK cells express CD94/NKG2 receptors and the majority of NK cells are capable of binding HLA-E. HLA-E also binds to a small subset of T cells expressing CD94/NKG2 heterodimers.

Furthermore, surface expression of HLA-E provides protection against killing by CD94/NKG2A+ NK cells.

In addition, it has been discovered that multimeric HLA-E molecules bind strongly to NK cells and the T cell subset expressing CD94/NKG2.

In its broadest sense, the invention provides the use of the interaction between HLA-E and NK cells and/or a subset of T cells, to identify and/or target and/or isolate those cells; and HLA-E in a suitable form for such use.

The invention provides in one aspect a method of causing an interaction of CD94/NKG2+ cells, which method comprises contacting the cells with HLA-E under binding conditions.

The invention thus encompasses in one embodiment a

10

15

20

25

30

£. ~

method of identifying the presence of CD94/NKG2+ NK cells and T cells in a sample, which method comprises contacting the sample with HLA-E under suitable binding conditions and detecting binding of HLA-E to the cells.

In another embodiment, the method according to the invention provides a method of selecting for CD94/NKG2+ cells, in particular NK cells and a subset of T cells, from a sample, which method comprises contacting the sample with HLA-E under binding conditions and separating cells bound to the HLA-E from the mixture.

In still another embodiment there is provided a method of killing or inactivating NK cells and a subset of T cells, which method comprises contacting the cells with HLA-E under binding conditions and carrying out targeted killing on the bound cells. Any targeted killing method may be used, for example NK cells may be identified by detecting bound HLA-E, and then destroyed by use of a laser, or the HLA-E may carry a toxic moiety which kills or inactivates the cells to which the HLA-E binds.

In yet another embodiment, the invention provides a method of modifying NK cell activity against a potential target cell, by expressing HLA-E at the surface of the target cell. In this embodiment, the binding of the CD94/NKG2 receptors to the cell surface HLA-E thus causes an interaction between the CD94/NKG2+ cells and the HLA-E bearing cells. In the case of CD94/NKG2A or B receptors, this will be an inhibitory interaction the effect of which is to protect the HLA-E bearing cell from killing by the NK cells. In the case of CD94/NKG2C receptors there may be an NK cell stimulatory effect. In the case of NK cells expressing both inhibitory and activator CD94/NKG2 receptors, the overall effect of an interaction with HLA-E at the target cell surface is an inhibitory one, since the inhibitory receptors override the stimulatory receptors.

Thus, the invention involves the use of the newly discovered HLA-E - CD94/NKG2 receptor binding partnership for a variety of possible

15

20

25

30

purposes. The interaction in the method according to the invention may be simply the binding of the CD94/NKG2 receptors to the HLA-E.

Alternatively or additionally the interaction of the CD94/NKG2+ cells with the HLA-E may give rise to an effect on the activity of the CD94/NKG2+ cells, such as an inhibitory effect

In further aspects, the invention provides CD94/NKG2+ cells isolated by the method according to the invention; and a population of cells depleted of CD94/NKG2+ cells by the method according to the invention.

In another aspect the invention provides a non-human mammalian cell which expresses HLA-E at the cell surface by virtue of a nucleic acid encoding HLA-E integrated into the genome of the cell. The nucleic acid encoding HLA-E is a heterologous nucleic acid in the sense that it is not found in those cells in nature. The invention also provides recombinant animals comprising such cells, which animals include transgenic animals which contain HLA-E-encoding nucleic acid material in their somatic and germ cells, as well as animals which are recipients of a transplant from such transgenic animals.

In another aspect the invention provides a method of testing a compound for biological activity, which method comprises:

- (i) providing cells expressing CD94/NKG2 receptors at the cell surface;
- (ii) contacting the cells with HLA-E in the presence of the test compound; and
- (iii) determining whether the presence of the compound affects the binding of HLA-E to the cells;

and compounds identified by the method as being compounds which affect the binding of HLA-E to CD94/NKG2 receptors.

Preferably the cells expressing CD94/NKG2 receptors in the method according to this aspect of the invention do not naturally express the receptors, and most preferably they are non-human cells. The cells are

15

20

preferably stable transfectants, that is to say they contain nucleic acid material expressing CD94/NKG2 stably integrated into their genome.

Compounds such as antibodies, in particular monoclonal antibodies, may be screened by the method for a particular desired property. Compounds may be identified by the method which interfere specifically with the interaction between HLA-E and CD94/NKG2A but not CD94/NKG2C, or vice versa. Antibodies with such specificity will be useful, for example to enable CD94/NKG2A NK cells to be distinguished from CD94/NKG2C cells. Therapeutic uses for antibodies which inhibit the binding of HLA-E to CD94/NKG2 receptors are also envisaged, for example in bone marrow transplantation. It can be difficult to find a matched human donor and allogeneic cells might not possess MHC class I ligands that can engage the inhibitory receptors of all NK cells. An antibody which specifically blocks the binding of NK cells to the activator receptor CD94/NKG2C will therefore be useful. Another example of a possible therapeutic use of the antibodies is in the treatment of certain autoimmune diseases.

In another aspect the invention provides a multimer of HLA-E comprising two or more HLA-E molecules, said multimer having enhanced binding capability compared to non-multimeric HLA-E, optionally labelled with a signal moiety. The multimers of HLA-E contain at least two subunits which have the binding properties of HLA-E receptors (that is they bind CD94/NKG2 receptors), linked together to produce a bi-functional or multifunctional species. Each subunit comprises all or a substantial part of the extracellular region of HLA-E, generally at least the  $\alpha$ 1,  $\alpha$ 2 and  $\alpha$ 3 HLA-E domains, together with  $\beta$ 2 microglobulin, and a suitable peptide in the peptide binding groove. Preferred HLA-E multimers are tetramers, but other multimers for example dimers, trimers and multimers containing 5, 6, 7 etc. HLA-E molecules are not excluded.

In another aspect the invention provides a recombinant HLA-

25

10

15

20

25

30

E coupled to a toxic agent. The purpose of the toxic agent is to kill or inactivate cells to which the recombinant HLA-E binds. It is sufficiently toxic for that purpose. The toxic agent preferably has a localised effect, that is it preferably does not affect surrounding cells to which the HLA-E is not bound. Preferably the recombinant HLA-E is in the form of a multimer.

The invention is useful for diagnostic purposes and in general for monitoring diseases. Detection and/or quantitation of NK cells or a sub-population of NK cells, or a sub-population of T cells (which may be further identified by co-staining with anti-CD8 or anti-CD4 antibody or antibodies or ligands to other T cell markers) will be useful in a variety of conditions, including the following:

(i) <u>Cancer, Lymphomas and Leukaemias (particularly large granular cell Leukaemias).</u>

NK cells are believed to have an anti-tumour cell activity. A marker for progress of therapy, or simple prognosis, can be provided by monitoring NK cell numbers and optionally their state of activation. This will provide an extremely simple test. The methods described herein can be used to determine or estimate NK cell numbers in a sample taken from a patient. The numbers of NK cells and T cells with an NK-like activity (CD94/NKG2+) can be estimated by the use of antibodies against markers of NK cells (eg CD56 or CD16) or antibodies against T cell markers (eg CD3). The state of activation of the NK cells can be investigated by costaining with antibodies to activation markers. Alternatively, the activation state of NK cells can be assessed in a functional assay *in vitro*. The NK cells are isolated from the sample and their cytolytic activity and/or ability to produce cytokines (eg interferon-γ and/or TNF-α) is assessed, either directly or after a short period in culture.

#### (ii) <u>Infections</u>

NK cell numbers may change during viral or other infections and knowing their numbers could be of great value for example in HIV

15

20

25

infected patients. It will be of particular interest to monitor NK cell numbers in cytomegalovirus (CMV) infections. CMV has sequences in its proteins that are capable of affecting HLA-E expression. More specifically, these CMV sequences induce cell surface expression of HLA-E in the virus host cell.

#### (iii) Pregnancy

There is interest in the role of NK cells in the placenta, in the prevention of rejection of the foetus. The invention provides a means to monitor NK cells in the placenta.

### 10 (iv) <u>Transplantation</u>

NK cells may be involved in transplant rejection and graftversus-host disease (GVHD) after bone marrow transplantation. Monitoring of NK cells may be of value in patient management.

#### (v) <u>Immunodeficiency</u>

The diagnostic use of HLA-E can be extended to the detection of new immunodeficiency syndromes, either inherited or acquired, which exhibit lower or higher than normal NK cell levels. Some treatments may be toxic or stimulatory to NK cells.

#### (vi) Autoimmune Diseases

It will be useful to monitor NK cells in autoimmune diseases such as systemic lupus erythematosus, diabetes, thyroid diseases, vitiligo, rheumatoid arthritis etc.

#### (vii) Following Treatment

The invention also enables the monitoring of secondary effects of any treatment which could lead to up or downregulation of CD94/NKG2+ NK cells.

Although NK cells are specifically referred to in the examples of diseases and conditions above, monitoring of the T cell subset expressing receptors recognised by HLA-E is also included.

15

20

25

30

The invention also has a range of therapeutic applications. Examples include the following:

#### (i) Enhancing NK Levels

The invention provides a method of selecting HLA-E binding NK cells or T cells from a mixed cell population. The selected cells can be expanded *in vitro* and returned to the patient. Such treatment may be effective in some serious infections or cancers where a growth deficiency of these cells is associated with poor prognosis.

#### (ii) Removing NK Cells

The invention provides methods and means for removal of HLA-E binding NK cells and T cells, for example from bone marrow to be used as donor bone marrow in transplantation. T cell depletion of bone marrow using other techniques is already known and is effective. HLA-E coupled to a toxin could also be used to destroy HLA-E binding cells *in vivo*.

#### (iii) Expressing HLA-E at the surface of cells

The invention provides a method and means for inhibiting or stimulating NK cell activity, by providing HLA-E at the surface of cells. NK cells play a role in transplant rejection. Therefore, by ensuring that HLA-E is expressed at the cell surface in a xenotransplant organ or tissue, the likelihood of rejection will be reduced and rejection may be avoided althogether.

Multimers of HLA-E in accordance with the invention can take a variety of possible forms. The HLA-E molecules may be associated with one another via a linker molecule. Alternatively or additionally the HLA-E molecules may be attached to larger entities such as membrane structures, for example liposomes. Suitable linker molecules include multivalent attachment molecules such as avidin, streptavidin and extravidin each of which has four binding sites for biotin. Thus, biotinylated HLA-E molecules

15

20

25

30

can be formed into multimer complexes of HLA-E having up to four HLA-E binding sites. The number of HLA-E molecules in the resulting complex will depend upon the ratio of HLA-E molecules to linker molecules used to make the complexes, and also on the presence or absence of any other biotinylated molecules such as biotinylated signal moieties or toxic moieties. Preferred complexes are trimeric or tetrameric HLA-E complexes.

Other cross-linking techniques suitable for preparing HLA-E dimers or multimers include, for example, antibody cross-linking to produce dimers, and techniques using cross-linking agents such as flurogenic compounds or other chemical cross-linking agents.

Described herein in detail is a method of making HLA-E tetramers by biotinylating recombinant HLA-E heavy chains ( $\alpha$ 1,  $\alpha$ 2 and  $\alpha$ 3 domains) and constructing complexes by refolding the HLA-E heavy chains *in vitro* with  $\beta$ 2m molecules and with a synthetic leader peptide from HLA-B. In the method described, biotinylation sites are engineered into the C terminus of the HLA-E heavy chain and the recombinant HLA-E molecules are biotinylated by means of a suitable biotinylating enzyme. The multivalent linker molecule, in this case extravidin, is then added. Variations of this tetramerisation method are envisaged. For example, the  $\beta$ 2m could be chemically biotinylated at its seven lysine residues, four of

which are in an appropriate position to allow complexing.

Whatever form of HLA-E is used, a suitable peptide for binding in the HLA-E peptide groove will be required. Tables 1 and 2 show examples of possible peptides found at residues 3 to 11 of MHC class I leader sequences. The tables indicate which of these are found to bind to HLA-E *in vitro*. Other peptides which bind to HLA-E may be used, for example peptides from viral proteins which may be the same as or different to MHC class I leader sequence peptides. Although nonamer peptides are usually the optimum size for binding to HLA-E, it is possible that peptides

10

15

20

25

30

which are slightly shorter or slightly longer, e.g. by one or two residues at one or both ends, will also work. A suitable assay for identifying synthetic peptides which bind to HLA-E is described in Braud et al 1997 *Eur. J. Immunol.* 27:1164-1169.

Labelling of the HLA-E may be carried out by any suitable method. Described herein is tetrameric HLA-E labelled with phycoerythrin via the extravidin used to form the tetrameric complex. A variety of other signal moieties may be employed at a variety of possible sites on the HLA-E monomer or multimer, and the HLA-E may be labelled before, during or after multimerisation. Useful signal moieties commonly employed for labelling proteins include radioactive (e.g. 32-P or 33-P or 35-S), fluorescent (e.g. FITC) and enzymatic (e.g. horseradish peroxidase) labels. These and other detectable labels may be employed in the invention.

HLA-E is also provided according to the invention linked to a support. The HLA-E thus immobilised is particularly useful for capture purposes, that is for capturing and separating CD94/NKG2+ cells. A mixture containing or suspected of containing CD94/NKG2+ cells is brought into contact with the immobilised HLA-E under binding conditions and unbound material is removed. CD94/NKG2+ cells may then be recovered. Examples of suitable solid supports include but are not limited to support bodies or particles which may be for example in the form of beads, wells, tubes and plates. The HLA-E may be immobilised by a variety of means well-known in the art and may be attached to the support by means of a suitable linker molecule.

HLA-E is also provided according to the invention attached to an effector agent such as a toxic moiety, the purpose of which may be the targeted depletion of CD94/NKG2+ cells in a mixed population of cells *in vitro* or *in vivo*. The toxic moiety is preferably a toxin which selectively kills the cells to which the HLA-E is bound. Suitable toxins can be derived from natural sources such as plants (for example ricin, abrin) or bacteria (for

15

20

25

30

<u>, 1997. )</u>

example diphtheria toxin, Pseudomonas exotoxin), or they may be synthetic or synthetic versions of naturally occurring toxins. In one particular example, the toxin is coupled to HLA-E by means of a linker molecule that introduces a disulphide bond between the HLA-E and the toxin (Vitetta et al, *Biol. Therapy of Cancer*, 1991, 482-495; Myers et al, *J. Immunol*. Methods, 1991, 131: 221-237). Thioether or other related compounds may be used to form non-reducible linkages. In another example, the toxin is expressed as a fusion protein with the HLA-E molecule, by splicing the gene encoding the toxin to the gene encoding the ligand to create a recombinant fusion protein (Pastan et al, *Annu. Rev. Biochem.*, 1992, 61: 331-354). Such fusion proteins may also include a biotinylation site to enable the creation of tetrameric or multimeric complexes of the toxin and HLA-E.

In general, the HLA-E described herein for use in detecting and separating and targeting toxins to CD94/NKG2+ cells will be a soluble HLA-E molecule. The term "soluble" is used herein in the manner in which it is conventionally used in the art in relation to cell surface receptors. A soluble form of a cell surface receptor is usually derived from the native form by deletion of the transmembrane domain. The protein may be truncated by removing both the cytoplasmic and the transmembrane domains, or there may be deletion of just the transmembrane domain with part or all of the cytoplasmic domain being retained. The important thing is that the desired extracellular function of the receptor is retained, which in this case is the CD94/NKG2-binding capability of the HLA-E binding domain. Wild type HLA-E may be modified to achieve the desired form by proteolytic cleavage, or by expressing a genetically engineered truncated or partially deleted form.

HLA-E for use in the invention which is present at surface of a cell on the other hand is preferably, although not necessarily, a membrane-bound form of HLA-E containing a transmembrane domain. It

10

15

20

25

30

may or not also have a cytoplasmic domain. In order to get HLA-E expressed at the surface of a cell which does not normally express HLA-E at its surface, it is necessary to provide a peptide which binds in the HLA-E peptide binding groove. The peptide may be derived either from an HLA leader sequence which is permissive for HLA-E expression, or it may be derived from another source which expresses peptides that bind to HLA-E and induce its expression. Such other sources include viruses which escape NK cell-mediated cytotoxicity by encoding a peptide which binds to HLA-E and induces its expression. For example, the human cytomegalovirus (HCMV) encodes a protein known as UL40 (Accession No. p16780) which possesses a peptide (VMAPRTLIL) capable of binding to HLA-E (see Table 1).

Thus, HLA-E expression at the surface of a non-human mammalian cell may be achieved for example by co-transfecting the cell with nucleic acid encoding HLA-E and another HLA class I which has a leader sequence peptide capable of binding to HLA-E. Alternatively the cell may be co-transfected with nucleic acids encoding HLA-E and UL40 of HCMV. The inventors have shown that when transfected with UL40, cells expressing HLA-E intracellularly are induced to express HLA-E at the cell surface. Instead of co-transfecting the cells with two different sequences, the cells can be transfected with a single vector containing both sequences, or more conveniently, with a chimeric nucleic acid which encodes a fusion protein of HLA-E with the peptide. This chimeric nucleic acid may be for example a recombinant nucleic acid encoding HLA-E, in which the leader sequence of HLA-B8 replaces the leader sequence of HLA-E. In another example, the nucleic acid encodes HLA-E linked to the peptide via a linker of sufficient length to allow the peptide to locate in the peptide-binding groove while also remaining covalently attached to the HLA-E molecule. In this instance, the peptide is not a part of the leader sequence which is cleaved off, and is instead linked to the mature HLA-E

15

20

molecule which is expressed at the cell surface. Advantageously, the peptide is linked to the HLA-E heavy chain via the HLA-E N-terminus (the α-1 domain). Such MHC-linked peptides are described in the published literature (see for example Mottez et al J. Exp. Med., 1995, 181:493-502). It may also be advantageous to express the HLA-E heavy chain and β2m as a fusion protein. Such fusions are described in the literature (see for example Toshitani et al, PNAS, 1996, 93:236). Thus, the HLA-E-peptide molecule may be expressed from a single coding sequence.

For the provision of HLA-E at the cell surface in organs or tissues to be transplanted into another species, suitable transgenic animals can be produced. Techniques for generating transgenic animals such as transgenic pigs or rats or mice are well known in the art. For the purposes of the invention, nucleic acid material which expresses HLA-E and a suitable HLA-E binding peptide in the recipient organism is introduced into cells of the organism at the appropriate early stage of development. Individual animals which express HLA-E at the surface of their cells are then selected. Organs or tissues from those animals provide xenogeneic material for transplantation.

The absence of HLA-E in xenogeneic cells makes them susceptible to NK cell-mediated lysis because their MHC class I molecules fail to be recognised by human killer cell inhibitory receptors. This is evident from inducing expression of HLA-Cw0301 on porcine endothelial cells, which protects the porcine cells against xenogeneic cytotoxicity mediated by NK cells expressing the inhibitory NK receptors binding to 25 HLA-Cw0301 (Seebach et al, J. Immunol., 1997, 159:3655). There is evidence that NK cells play a role in the cellular immune response against xenografts (reviewed in Kaufman et al, Ann. Rev. Immunol., 1995, 13:339 and Bach et al, Immunol. Today, 1996, 17:379). The endothelium is the first site of contact between a vascularized xenograft and the recipient

15

20

25

immune system. It has been shown that human NK cells adhere to the vascular endothelium and infiltrate into the xenogeneic organs (Kirk et al, *Transplantation*, 1993, 56:785; Inverardi, *Immunol. Rev.*,1994 141:71) and that NK cells directly activate porcine endothelial cells (Goodman et al,

Transplantation, 1996, 61:763). It has been observed that xenogeneic human anti-porcine cytotoxicity *in vitro* includes an important MHC unrestricted contribution from polyclonal NK populations (Inverardi, *Immunol. Rev.*, 1994, 141:71; Kirk et al, *Transplantation*, 1993, 55:294; Seebach et al, *Xenotransplantation*, 1996, 3:188). It has also been shown that transgenic mice expressing a killer cell inhibitory receptor from the immunoglobulin superfamily, CD158, which recognises HLA-Cw3, are prevented from rejecting H-2 mismatch bone marrow grafts which express the cognate MHC class I HLA-Cw3 allele (Cambiaggi et al, *PNAS*, 1997, 94(15):8088-92. Thus, an HLA-E transgenic animal can be used to provide organs which will not be prone to attack by human NK cells expressing CD94/NKG2A receptors.

Xenogeneic transplantation will also involve the use of other mechanisms and/or reagents for the purpose of improving transplant survival. In particular, immunosuppressive agents may be employed. Immunosuppressive drugs are commonly used in transplantation therapy.

Currently, the primary animal species proposed as sources of xenografts are pigs and baboons (and possibly cows). Examples of particular treatments currently under consideration are:

- treatment of Parkinson's disease by implantation of porcine foetal neuronal tissue;
- treatment of diabetes mellitus by implantation or infusion of encapsulated porcine pancreatic islet cells;
- treatment of hepatic failure by perfusion through or implantation of whole pigs livers;
- 30 (see Deacon, Nat. Med., 1997, 3:350; Tibell, Transplant. Proc., 1994,

15

20

26:762; Cramer, Transplant. Proc., 1995, 27:80).

It will be evident that in addition to any special features such as the absence of transmembrane and/or cytoplasmic domains, or the presence of biotinylation sites required for multimerisation, the recombinant HLA-E used in the invention may have other features which make it different to native HLA-E. For example, the recombinant HLA-E may have deletions or insertions or altered residues compared to native HLA-E, which result in improved properties such as enhanced binding capability or improved stability, for use in accordance with the invention. HLA-E having improved stability at elevated temperatures, such as temperatures over 4°C and/or over room temperature and/or at or around 37°C, will be of particular interest.

HLA-E in recombinant form as described herein is also provided in formulations suitable for *in vivo* use. Such formulations comprise a pharmaceutically acceptable diluent or carrier.

HLA-E itself exhibits very little polymorphism. The sequences for two different alleles of HLA-E can be found in the following data base locations: E\*0101 at M20022 (arg in the residue at position 107); E\*01031 at M32507 (glycine residue at position 107).

Some further, known techniques the principles of which may be additionally applied in the separation, identification or targeted killing methods of the invention are discussed below.

Some known separation methods will be adaptable for use in the separation or isolation of CD94/NKG2+ cells using HLA-E. For example, T cell populations can be isolated by use of antibody-coated plates. The antibodies are specific for particular cell-surface markers. Cell separation can be a negative selection process or a positive selection process (Wysocki et al, 1978 PNAS 75:2840-2848). HLA-E coated plates may be used to separate CD94/NKG2+ cells.

Immunomagnetic purification of a T cell subpopulation can

25

10

15

also be realised using suitable antibodies coated on magnetic beads, in a negative or a positive selection process (Funderud et al 1987 in *Lymphocytes: A Practical Approach* Oxford University Press, New York 55-61). HLA-E-coated beads may be similarly employed for selection of CD94/NKG2+ NK cells and T cells.

FACS (fluorescence activated cell sorting) techniques may also be employed. Cell sorting of fluorescence-labelled cells uses flow cytometry to monitor the expression of specific intracellular and cell surface molecules and sort cell populations (Fleisher et al 1988 *Cytometry* 9:309-315).

Techniques which may be used in accordance with the invention for selective depletion or targeted killing of CD94/NKG2+ cells in a mixed cell population include antibody/complement-mediated cytotoxicity. Using a complement-fixing antibody, the cells expressing the marker recognised by the antibody can be lysed in presence of complement (Bianco et al 1970 *J. Exp. Med.* 132:702-720). For example, an anti-HLA-E antibody may be employed to selectively destroy cells to which HLA-E is bound.

TABLE 1

Examples of peptides generated from MHC class I leader sequences at residues 3-11

Leader sequence peptide (3-11) from	Binding to HLA-E in vitro
MHC class I	
-VMAPRTLVL	+
-VMAPRTLLL	+
-VMAPRTVLL	<u>.</u> +
-VMAPRTLIL	+
-VMAPRTLFL	+
-VMGPRTLVL	+/-
-VTAPRTVLL	-
-VTAPRTLLL	-
-VMPPRTLLL	+
-VMEPRTLIL	-
-VMAPRALLL	-

[SEQ ID NOS: 1 - 11]

#### **EXAMPLES**

#### Example 1

Construction of HLA-E tetrameric complexes

HLA-E-tetrameric complexes were constructed by refolding recombinant HLA-E and β2m molecules *in vitro* with a synthetic peptide (VMAPRTVLL) derived from residues 3-11 of the signal sequence of HLA-B\*0801. A biotinylation site was engineered in the C terminus of the HLA-E heavy chain, allowing HLA-E/β2m/peptide complexes to be enzymatically biotinylated using *E.coli* BirA enzyme and conjugated with phycoerythrin (PE)-labelled Extravidin to create tetrameric complexes. HLA-A and –B tetramic complexes have proved to be very efficient at specifically binding to T cell receptors on antigen-specific CD8<sup>+</sup> T cells from peripheral blood *in vitro* (Altman et al 1996 *Science* 274: 94-96).

#### 15 Methods

20

25

[SEQ ID NO: 14]

HLA-E was cloned by RT-PCR with primers COO7 and COO6 from RNA extracted from monocytes of an HLA-E\*0101 homozygous individual. The N terminal nucleotide sequence was synonymously altered by PCR mutagenesis using the primers CO17 and COO6 to optimise protein expression from the pGMT7 vector in E. coli. The coding sequence for the extracellular portion of HLA-E (residues 1-276) was amplified using the primers CO17 and CO23 and recloned into a pGMT7 derivative to produce the expression plasmid COCO92 which contains the BirA recognition and biotinylation site in frame at the 3' end of the HLA-E heavy chain. Primers were:

COO6 gtgggctaagcttacggcttccatctcagggtgacgggctc [SEQ ID NO: 12]

COO7 ctacgggcatatggtagatggaaccctccttttactctcc [SEQ ID NO: 13]

30 CO23 tggtgtctagaggatcctggcttccatctcagggtgacgggctcg [SEQ ID NO: 15]

HLA-E tetrameric complexes were generated essentially as described (Altman et al 1996). Briefly, HLA-E and β2m proteins were overexpressed *in E. coli* strains BL21 (DE3) pLysS and XA90 respectively, purified from inclusion bodies, solubilised into a urea solution, then refolded by dilution *in vitro* with a synthetic peptide (VMAPRTVLL) from HLA-B\*0801 leader sequence (Research Genetics). HLA-E heavy chain/β2m/peptide complexes were biotinylated with BirA enzyme, purified by FPLC and Mono-Q ion exchange chromatography, then complexed in a 4:1 molar ratio with Extravidin-PE (Sigma).

10

#### Example 2

#### Binding of HLA-E tetramers

Peripheral blood mononuclear cells (PBMC) from 9 normal donors were stained with HLA-E tetramer prepared as described in Example 1 and compared to staining observed with an HLA-A2 tetramer 15 refolded with Epstein Barr Virus (EBV) lytic cycle BMLF1 259-267 peptide epitope (Steven et al 1997 J.Exp. Med. 185: 1605-17). A high frequency of lymphoid cells were stained with the HLA-E tetramer (range 2 to 11%) (Fig. 1A), whereas the HLA-A2 tetramer generally stained 0 to 0.8% of the lymphocytes in EBV-seropositive donors (Fig. 1C). By setting an electronic 20 gate on the lymphocytes binding HLA-E tetramer, we observed that a large proportion were NK cells (typically 40 to 80 % CD3<sup>-</sup>, CD56<sup>+</sup>) but a significant subset were T cells (typically 15 to 50% CD3+), some of which were also expressing CD56 (Fig. 1B). About 2% of the lymphocytes binding HLA-E tetramer were CD4<sup>+</sup> T cells, and about 5 % were CD19<sup>+</sup> B 25 cells, but these could represent non-specific binding because of similar staining with the HLA-A2 tetramer (data not shown). The HLA-A2 tetramer did not bind to CD56\* cells but, in EBV-seropositive donors, bound to EBV specific CD3+, CD8+ T cells (Fig. 1D), confirming previous studies on the specificity of MHC-tetrameric complexes for T cells bearing a specific T cell 30

15

20

25

30

receptor (Altman et al 1996).

HLA-E tetramer staining was abolished when the PBMC and the tetramer were incubated in the presence of the antibody HP3D9 (Aramburu et al 1990 *Immunol*. 144: 3238-47) against CD94, an NK cell receptor belonging to the C-type lectin superfamily (Chang et al 1995 *Eur J. Immunol*. 25: 2433-37) (Fig. 2A). As the antibody HP3D9 was diluted, the HLA-E tetramer staining was restored (data not shown). The interaction between HLA-E and CD94 was also confirmed by staining a number of well-characterised CD94\* NK clones with HLA-E tetramer and demonstrating that another anti-CD94 mAb (DX22) (Phillips et al 1996 *Immunity* 5: 163-172) completely inhibited HLA-E tetramer binding (Fig. 2B, and data not shown). No staining with HLA-A2 tetramer was found on CD94\* NK clones (data not shown).

To characterise further the NK receptor interacting with HLA-E, we stained P815 and 293T cells transfected with these receptors. No HLA-E tetramer staining was observed on P815 stably transfected with CD94 alone or NKG2B alone (Fig. 3A), nor on 293T transiently transfected with CD94 or NKG2A alone (data not shown). In contrast, HLA-E tetramer bound to 293T cells cotransfected with CD94 and NKG2A, CD94 and NKG2B, or CD94 and NKG2C (Fig. 3B). Expression of the heterodimers on these transfectants was monitored using a polyclonal rabbit serum that reacts with CD94/NKG2A, NKG2B and NKG2C heterodimers (Lazetic et al 1996 J. Immunol. 157: 4741-45). This result was confirmed using mouse pre-B Ba/F3 cells stably transfected with CD94/NKG2C or NK clones expressing the inhibitory receptor CD94/NKG2A (Fig 2B and data not shown). Carbohydrates on HLA-E are not necessary for binding, as the recombinant HLA-E used to make the tetramer was produced in E. coli. This is quite surprising given that both CD94 and NKG2 proteins are members of the C-type lectin superfamily. Carbohydrate residues may form additional points of interaction increasing the affinity of binding.

We have also shown that HLA-E does not interact with other killer cell inhibitory cell receptors (KIR) as no staining with the HLA-E tetramer was observed on Ba/F3 cells transfected with KIR2DL1 (NKAT1 or p58), KIR2DL3 (NKAT2 or p58), KIR3DL1(NKAT3 or p70), KIR3DL2 (NKAT4 or p70/140), KIR2DS2 (NKAT5 or p50), KIR2DL2 (NKAT6 or p58) or KIR2DS4 (NKAT8 or p50) (Lanier et al 1997 *Immunol. Rev.* 155: 145-154). Furthermore, staining of PBMC with HLA-E tetramer was not blocked by antibodies against any of these KIR receptors: EB6 (anti-KIR2DL1), GL183 (anti-KIR2DL3, -KIR2DS2, -KIR2DL2), DX9 (anti-KIR3DL1), or 5.133 (anti-KIR3DL1, -KIR3DL2) (data not shown). Thus, the CD94/NKG2 receptors appear to be unique and specific receptors for HLA-E recognition.

We have previously reported that HLA-E, like the mouse Qa-1 molecule (Aldrich et al 1994 Cell 79: 649-658; DeCloux et al 1997 J. Immunol. 158: 2183-2191; Cotterill et al 1997 Eur. J. Immunol. 27: 2123-2132) can bind signal sequence-derived peptides from MHC class I molecules in vitro (Braud et al 1997) and recently showed that HLA-E cell surface expression is regulated by the binding of such peptides (Braud et al 1998). Most HLA-A and HLA-C alleles possess a leader peptide 3-11 that binds to HLA-E whereas only a third of HLA-B alleles do. The remaining B alleles have a Threonine at position 2 in the peptide instead of a Methionine. This substitution at a primary anchor residue disrupted peptide binding to HLA-E as measured in an in vitro peptide binding assay previously described (Braud et al 1997) (Table 2). Transfection of MHC class I alleles which have a leader peptide capable of binding to HLA-E into HLA-A, -B, -C, -G negative 721.221 cells resulted in expression of the endogenous HLA-E on the cell surface of 721.221 cells. When the leader sequence peptide was not capable of binding, no such upregulation of HLA-E at the cell surface was observed.

It has been shown previously that NK cells expressing an

25

15

20

15

20

25

inhibitory CD94/NKG2A receptor do not kill 721.221 cells transfected with

certain HLA-A, -B, -C, or -G alleles, but are able to lyse these transfectants in the presence of neutralising anti-CD94 or anti class I antibodies (Phillips et al 1996 Immunity 5: 163-172; Sivori et al 1996 Eur. J. Immunol. 26:2487-2492; Sivori et al 1996 Transplant 28: 3199-3203). A striking correlation between the presence of an HLA class I leader sequence peptide capable of binding to HLA-E causing its surface expression and the specificity of the CD94/NKG2A inhibitory receptor is shown in Table 2. All the MHC class I alleles which, upon transfection, protect 721.221 cells from killing by CD94/NKG2A+ NK clones have a peptide capable of binding to HLA-E. Similarly, all HLA alleles incapable of protecting against these clones lack an HLA-E binding leader peptide. Together with the direct evidence for physical interaction between HLA-E and CD94/NKG2A, these results indicate that inhibition by the CD94/NKG2A receptor is mediated by recognition of HLA-E rather than a broad range of HLA-A, -B, and -C molecules. In further support of this, the HLA-A2 tetramer refolded around a Tax peptide epitope of human T-cell lymphotropic virus HTLV1 (Garboczi et al 1996 Nature 384: 134-141) did not bind to CD94/NKG2A transfectants

has been shown to have a protective effect against CD94/NKG2A+ NK clones and HLA-A2 target cell protection can be reversed in the presence of anti-CD94 or anti-class I antibodies. Furthermore we confirmed, by immunoprecipitation that the anti-class I antibody DX17, which inhibits interactions between class I molecules and CD94/NKG2A, also recognises HLA-E.

or NK cells expressing CD94/NKG2 receptors, despite the fact that HLA-A2

It has recently been demonstrated that recognition of 721.221 target cells by CD94/NKG2A<sup>+</sup> NK clones can be inhibited by transfection of HLA-G, another nonclassical class I molecule mainly expressed on trophoblast cells (Soderstrom et al 1997 *J. Immunol.* 159: 1072-1075;

15

20

Perez Villar et al 1997 *J. Immunol.* 158: 5736-5743; Pende et al 1997 *Eur. J. Immunol.* 27: 1875-1880). However, HLA-G also possesses a leader sequence peptide capable of binding to HLA-E and 721.221-G transfectants express a significant level of HLA-E. Similarly, Reyburn et al 1997 (*Nature* 386: 514-517) recently reported that human cytomegalovirus encodes a viral protein (UL18), with similarity to MHC class I, that can protect 721.221 cells from NK cell lysis, possibly involving CD94 receptors. Whether these observations can be explained by binding of HLA-G or UL18 leader peptides to the endogenous HLA-E molecules in 721.221 is under investigation.

HLA-E also binds to CD94/NKG2C which has been shown to activate cytolytic activity in NK cell transfectants (Houchins et al 1997 *J. Immunol.* 158: 3603-3609) indicating that HLA-E is involved in regulating NK cell-mediated cytotoxicity via both CD94/NKG2A and CD94/NKG2B inhibitory NK cell receptors and CD94/NKG2C stimulatory NK cell receptors. Our present results demonstrate a novel role for a non-classical class I molecule HLA-E and identify its predominant receptor. It remains to be determined whether the strong preference of HLA-E for binding signal sequence-derived peptides is simply to permit expression of HLA-E or whether it is implicit in recognition by CD94/NKG2 receptors.

Table 2

.221 cells Inhibition of transected with killing by HLA class I CD94/NKG2A alleles + NK clones*	Inhibition of	sequence peptide	HLA leader sequence peptide (residues 3-11)	Concentration of peptide required to obtain 50% of binding
	killing by			
	CD94/NKG2A			
	HLA-E§		to HLA-E†	
.221	-	- <b>‡</b>		
.221-A*0201	+	+	VMAPRTLVL	0.06 µM
.221-A*0211	+	<b>+</b>	VMAPRTLVL	0.06 μM
.221-A*2501	+	+	VMAPRTLVL	0.06 μM
.221-A*2403	+	+	VMAPRTLVL	0.06 μM
.221-A*3601	+	+	VMAPRTLLL	0.3 μΜ
.221-B*0702	+	+	VMAPRTVLL	0.06 μM
.221-Cw*0102	+	+	VMAPRTLIL	0.3 μΜ
.221-Cw*0401	+	+	VMAPRTLIL	0.3 μΜ
.221-Cw*0304	+	+	VMAPRTLIL	0.3 μΜ
.221-Cw*0801	+	+	VMAPRTLIL	0.3 μΜ
.221-G	+	+	VMAPRTLFL	0.3 μΜ
.221-B*1501	-	•	VTAPRTVLL	> 100 μM
.221-B*5101	-	•	VTAPRTVLL	> 100 µM
.221-B*5801	-	-	VTAPRTVLL	> 100 µM
.221-B*4601	-	-	VTAPRTVLL	> 100 µM
.221-B*5401	-	-	VTAPRTLLL	> 100 µM
.221-B*5501	-	•	VTAPRTLLL	> 100 µM

- 5 [SEQ ID NOS: 1 (4), 2, 3, 4 (4), 5, 7 (4), 8(2), respectively]
  - \*Results published by Phillips et al 1996
  - † A peptide binding assay was developed in vitro. Results are expressed as a ratio of optical densities referred to as percentage of binding to HLA-E (Braud *et al* 1997)
- The HLA-A, -B, -C, and -G negative .221 cells express HLA-E and HLA-F which have a shorter leader sequence and lack the appropriate peptide capable of binding to HLA-E.
  - § The presence of a leader sequence peptide capable of binding to

20

30

HLA-E upregulates HLA-E surface expression as measured on .221 and .221 cells transfected with HLA-A or –B alleles using the antibody DT9 recognizing HLA-E and HLA-C alleles

#### 5 Figure Legends for Example 2

Figure 1 HLA-E tetramer binds NK cells and a subset of T cells

Flow cytometry analysis on gated peripheral blood
lymphocytes from normal EBV seropositive donor VB using (A) HLA-E
tetramer refolded around the leader sequence peptide residues 3-11 from
HLA-B\*0801 or (C) HLA-A2 tetramer refolded around the Epstein Barr
Virus (EBV) lytic cycle BMLF1 259-267 peptide epitope (Steven et al
1997). The phenotypes of (B) HLA-E tetramer or (D) HLA-A2 tetramer
binding lymphocytes were further investigated in triple colour stains as
indicated. Percentages in each quadrant are represented by the cross in
the upper right. Within the total CD3-, CD56+ NK cell population, 10.3 % of
cells bound HLA-E tetramer, and within the total CD3+ T cell population,
2.2 % of cells bound HLA-E tetramer. In contrast, less than 0.2 % of CD3-,
CD56+ cells bound HLA-A2 tetramer, whereas 1 % of CD3+ T cells bound
HLA-A2 tetramer.

Figure 2 HLA-E tetramer staining is inhibited by anti-CD94 antibodies

- (A) Peripheral blood lymphocytes from normal donor SRJ were stained with the anti-CD94 antibody HP3D9 (Aramburu *et al* 1990) (1/50 dilution of ascites) followed by FITC-anti-mouse IgG (Fab')<sub>2</sub> (Sigma); HLA-E tetramer-PE alone; or HLA-E tetramer-PE in the presence of HP3D9 (1/50) which inhibited HLA-E tetramer staining.
- (B) The NK cell line NKL (Robertson *et al* 1996 *Exp. Haematol*. 24: 406-415) expressing the NK receptor CD94/NKG2A but none of the KIR molecules was stained with the anti-CD94 antibody DX22 (Phillips *et al*

1996) (1mg) followed by PE-anti-mouse IgG; HLA-E tetramer-PE; or HLA-E tetramer-PE in the presence of 1 mg of DX22 antibody which inhibited HLA-E tetramer staining. Percentages in each quadrant are listed in the upper right. The HLA-A2 tetramer refolded around the HTLV1 Tax peptide (Garbocz *et al* 1996) did not bind to NKL (data not shown).

Figure 3 HLA-E binds to NK cell CD94/NKG2A, CD94/NKG2B and CD94/NKG2C receptors but not to CD94 or NKG2 alone.

(A) P815 cells were stably transfected with pBJ-neo vector containing human CD94 cDNA (Chang et al 1995) or NKG2B cDNA (Houchins et al 1991 J. Exp. Med. 173: 1017-20). Cells were stained with PE-control mouse IgG1 (cMIgG1) or IgG2b (cMIgG2b), anti-CD94 antibody DX22-PE. anti-NKG2A and B antibody DX20-PE, or HLA-E tetramer-PE. Neither P815 transfectant stained with HLA-E tetramer or HLA-A2 HTLV1 Tax peptide tetramer. (B) 293T cells stably transfected with CD94 were transiently transfected with NKG2A, NKG2B, and NKG2C (Lazetic et al. 1996). Flow cytometry staining was performed using rabbit preimmune serum (cRlgG) 1/500 final dilution or rabbit anti-CD94/NKG2 heterodimer serum (anti-CD94/NKG2) 1/500 final dilution, both followed by FITC- antirabbit IgG, or with HLA-E tetramer-PE. No staining with HLA-A2-HTLV1 tax peptide tetramer was observed. Staining of 293T-CD94 cells cotransfected with a control plasmid were not stained by HLA-E tetramer or the rabbit anti-CD94/NKG2 serum (data not shown).

#### 25 Example 3

20

Transfection of cells with HLA-E-binding leader sequences to enable HLA-E expression and protection against NK cell clones

Methods

Human NK-cell clones were established and cultured as
described (Litwin et al 1993 *J. Exp. Med.* 178: 1321-1336). Cytotoxicity

15

20

25

30

assays were performed as described (Phillips et al 1996 *Immunity* 5: 163-172). A chimeric cDNA containing the leader segment of HLA-G and the extracellular, transmembrane, and cytoplasmic domains of HLA-B\*5801 was generated by PCR using the following oligonucleotide primers: sense primer 1,5'-GCGTCTAGAATGGTGGTCATGGCACCCCGA-3' [SEQ ID NO: 16]; antisense primer 1,5'-CATGGAGTGGGAGCCGGCCCAGGTCTCGGT-3' [SEQ ID NO: 17]; sense primer 2,5'-GGCTCCCACTCCATGAGGTAT-3' [SEQ ID NO: 18]; and antisense primer 2,5'-AAGCTTTCAAGCTGTGAGAGACA-3' [SEQ ID NO: 19].

PCR was performed using a wild-type HLA-G cDNA as a template with primer set 1 and using wild-type HLA-B\*5801 cDNA as a template with primer set 2. Products from these PCR reactions were mixed and used as templates for a subsequent reaction with sense primer 1 and antisense primer 2. The product was digested with Xbal and HindIII and ligated into the pBJneo vector.

A chimeric cDNA containing the leader segment of HLA-B\*0702 and the extracellular, transmembrane and cytoplasmic domains of mouse CD80 (or B7-1) was generated by PCR using the following oligonucleotide primers: sense primer 3,5'-ACCGAGACCTGGGCCGTTGATGAACAACTG-3' [SEQ ID NO: 20]; antisense primer 3,5'-GCAAGCTTCTAAAGGAAGACGGTCTGTTC-3' [SEQ ID NO: 21]; sense primer 4,5'-GGGCGTCGACCCGGACTCAGAATCTCCTCAGACGCCGAG-3' [SEQ ID NO: 22]; and antisense primer 4,5'-CAGTTGTTCATCAACGGCCCAGGTCTCGGT-3' [SEQ ID NO: 23].

PCR was performed using a wild-type mouse CD80 cDNA as a template with primer set 3 and using wild-type HLA-B\*0702 cDNA as a template with primer set 4. Products from these PCR reactions were mixed and used as templates for a subsequent reaction with sense primer

4 and antisense primer 3. The product was digested with Sall and HindIII and ligated into the pBJneo vector. PCR products were verified by sequencing. 721.221 B-lymphoblastoid cells were transfected with the wild-type and chimeric cDNAs and selected as described (Litwin et al 1993).

#### Results

10

15

20

25

30

To determine whether the presence of an HLA-E binding leader peptide that induces surface expression of HLA-E is enough to provide protection against CD94/NKG2A<sup>+</sup> NK-cell clones, a chimeric complementary DNA (GLS-B\*5801) was generated. It contained the leader segment of HLA-G (from which a peptide can bind to HLA-E; Table 2) and the extracellular, transmembrane and cytoplasmic domains of HLA-B\*5801 (an HLA molecule that is not implicated in recognition by CD94/NKG2A receptors – Phillips et al 1996 Immunity 5: 163-172). Stable 721.221 cell line transfectants were selected and analysed for susceptibility to lysis by NK-cell clones expressing CD94/NKG2A receptors. As shown in Figure 4a, an NK-cell clone expressing a CD94/NKG2A receptor efficiently killed untransfected 721.221 cells as well as 721.221 cells transfected with wild-type HLA-B\*5801. However, protection against NK-cell-mediated lysis was conferred by expression of the chimeric GLS-B\*5801 molecule but reversed in the presence of antibodies against either CD94 or HLA class I molecules. A chimeric cDNA (B7LS-mCD80) containing the leader segment of HLA-B\*0702 (with a peptide that can bind to HLA-E; Table 2) and the extracellular, transmembrane and cytoplasmic domains of mouse CD80 was transfected into 721.221 cells and tested for lysis by CD94/NKG2A\* NK-cell clones. CD80 is an adhesion cell surface molecule expressed on activated B and T cells and macrophages. In this experiment CD80 is used as an irrelevant control molecule to show that only the leader sequence of MHC class I

molecules is necessary to upregulate HLA-E and induce a protective effect. There was less lysis of 721.221 cells expressing the B7LS-mCD80 molecule but not of cells expressing wild-type CD80, and protection was reversed by anti-CD94 but not control antibodies (Figure 4b). These results indicate that an HLA-E binding leader peptide alone is enough to protect 721.221 cells from lysis by NK-cell clones expressing inhibitory CD94/NKG2A-type receptors.

These results provide further confirmation of HLA-E as a ligand for CD94/NKG2A.

10

15

#### Figure Legends for Example 3

Figure 4 HLA-E mediates inhibition of NK cells through interaction with CD94/NKG2A.

(A) Lysis of 721.221 cells expressing HLA-B\*5801, HLA-G or a chimeric molecule (GLS-B\*5801) containing the HLA-G leader sequence and the extracellular, transmembrane, and cytoplasmic domains of HLA-B\*5801 by a representative NK-cell clone expressing the CD94/NKG2A receptor. Assays were performed at an effector to target ratio of 0.5:1, in the presence of control immunoglobulin (clg), anti-CD94 (DX22), or anti-HLA class I (DX17) at 5μg ml<sup>-1</sup>. (B) Lysis of 721.221 cells expressing mouse CD80 or a chimeric molecule (B7LS-mCD80) containing the HLA-B\*0702 leader sequence and the extracellular, transmembrane, and cytoplasmic domains of mouse CD80 by two representative NK-cell clones expressing the CD94/NKG2A receptor. Assays were performed at an effector-to-target ratio of 1:1 in the presence of control immunoglobulin (clg) or anti-CD94 (DX22) at 10 μg ml<sup>-1</sup>.

#### Example 4

Isolation of CD94/NKG2+ cells by fluorescence activated cell sorting

Peripheral blood mononuclear cells (PBMC) were obtained

25

15

20

25

ين. المؤلف

from venous blood which had been taken from donors into tubes containing Heparin. Briefly, blood samples were diluted 1:1 with serum free RPMI-1640 and 10 ml of diluted blood was laid onto a 5 ml Ficoll-Hypaque gradient. After a centrifugation at 1200 rpm for 30 minutes, the PBMC at the interface were carefully removed and washed twice in RPMI. The first centrifugation was performed for 10 minutes at 2000 rpm and the second for 10 minutes at 1200 rpm to remove most platelets. PBMC were then diluted in RPMI and kept in sterile medium while processed.

Binding of HLA-E tetramer was monitored by flow cytometry and cells were sorted. PBMC (5 x 10<sup>6</sup>) were incubated for 15 minutes at 37 °C followed by 15 minutes at 4 °C with 12 μl of HLA-E tetramer labelled with phycoerythrin (PE). CD3 monoclonal antibody labelled with FITC was then added for another 15 minutes at 4 °C. Cells were then washed twice and sorted on a FACScan, which measures fluorescent light emission and separates distinct cell populations by electrostatic-deflection (electronic cell sorting). Single cells or subsets of cells stained by HLA-E tetramer were collected in sterile 96 well plates and put in culture. NK cells (CD3-, HLA-E tet+) and T cells (CD3+, HLA-E tet+) were grown in Yssel's medium (Yssel et al, 1984, *J. Immunol. Methods*, 72:2199) in the presence of irradiated feeder cells (PBMC and JY BCL), 0.1 μg/ml of PHA, and 100 U/ml or 10 U/ml of IL-2 respectively. Autologous cells processed in this way are suitable for reinjection into patients. FACS techniques can also be used to count cells for quantitation purposes.

Suitable methods for culturing NK cells and clones are described in Litwin et al, *J. Exp. Med*, 1993, 178:1321-1336. Methods for maintaining T cells are described in Dunbar et al, *Current Biol.*, 1998, 8(7) 413 and Nixon et al, *Nature*, 1988, 336: 484-487.

15

20

30

#### Example 5

#### Isolation of CD94/NKG2+ cells using HLA-E-coated beads

Cells expressing CD94/NKG2 receptors were isolated with HLA-E-streptavidin coated dynabeads. Dynabeads M-280 Streptavidin are magnetic beads coated with streptavidin. Soluble HLA-E was engineered with a biotinylation site for BirA enzyme at the C terminus of HLA-E heavy chain and refolded with \( \beta 2 \) microglobulin and a synthetic peptide derived from residues 3-11 of the signal sequence of some HLA molecules (described in Braud et al, 1998, Nature, 391:795). These HLA-E monomers were biotinylated using BirA enzyme and conjugated to Dynabeads M-280 using a standard protocol. Biotinylated HLA-E were incubated with PBS-washed Dynabeads M280 for 30 minutes at 4°C with bidirectional mixing (2 µg HLA-E/10<sup>7</sup> Dynabeads). The beads were collected by placing the tube in a Dynal Magnetic Particle Concentrator (MPC) and the supernatant was removed. The beads were washed 5 times in the same way. HLA-E coated M-280 dynabeads were then mixed with isolated PBMC (obtained as described in Example 3) (10<sup>7</sup> beads/ml) and incubated for 20 minutes at 4°C with gentle rotation. The tube was placed in a Dynal MPC and left to rest for 2 minutes. The supernatant was removed and the cells attached to the beads washed 5 times. Cells were then grown as described in Example 3.

NB: To deplete PBMC of cells expressing receptors for HLA-E, the supernatant is kept and the beads discarded.

#### 25 Example 6

#### Targeted killing of NK cells

Recombinant biotinylated HLA-E is prepared as described in Example 1. A mixture containing biotinylated HLA-E and a biotinylated toxic agent such as the enzyme perforin in a molecular ratio of 3:1 is combined with extravidin to produce multimeric HLA-E linked to the toxic agent. A PBMC

sample from a human donor is prepared according to standard techniques and contacted with the HLA-E reagent, resulting in killing of the CD94/NKG2+ cells present in the sample. CD94/NKG2 negative cells are recovered.

Example 7

#### **Xenotransplantation**

A recombinant DNA expressing HLA-E in which the leader sequence of HLA-E was replaced by the leader sequence of HLA-B8 was generated. This chimeric cDNA contains the leader sequence of HLA-B, and the extracellular ( $\alpha$ 1,  $\alpha$ 2 and  $\alpha$ 3), the transmembrane and the cytoplasmic domains of HLA-E. It was generated using the following oligonucleotide primers:

sense primer A:

15 5'-

CTCGGCGGCCCTGGCCCTGACCGAGACCTGGGCGGGCTCCCACTCC
TTG-3' [SEQ ID NO: 24]

antisense primer B:

5'-TTCTGTCTAGATTACAAGCTGTGAGACTCAGACCCCTG-3' [SEQ ID

20 NO: 25]

sense primer C:

5'-

25

30

CTGACCGAATTCGCCGCCACCATGCTGGTCATGGCGCCCCGAACCGT CCTCCTGCTGCTCTCGGCGCCCTGGCC-3' [SEQ ID NO: 26]

The PCR was performed using the cDNA of HLA-E as a template with primers A and B. The product from that PCR was then used as a template for a subsequent reaction with primers B and C. The last product was digested with EcoR1 and Xbal and ligated into the expression vector pcDNA3.

Transgenic animals are then produced as follows. Females

are superovulated, mated to fertile males and sacrificed the following day. Zygotes with two pronuclei are recovered and one of the pronuclei is microinjected with the DNA expressing the HLA-E-HLA-B leader sequence construct. Surviving embryos are reimplanted into pseudopregnant foster females and DNA samples from new borns are evaluated for the presence of the foreign gene (HLA-E construct). These techniques are described in detail in the literature (eg Guide to techniques in mouse development, P. Wassarman and M DePamphilis, Methods in Enzymology (Academic Press), Section X: Transgenic animals: pronuclear injection (p747-802) and Section XI: Transgenic animals: embryonic stem cells and gene targeting (p803-932)).

#### Example 8

15

20

30

Stable transfection of CD94 and NKG2 genes into mammalian cells

Mouse cells (P815, L cells) were sequentially transfected by electroporation or calcium phosphate DNA precipitation respectively, with a mammalian expression vector pcDNA3 (neomycin resistance gene) containing CD94 cDNA and either NKG2A or NKG2C with DAP12. NKG2A and NKG2C cDNA was cloned into the expression vector pcDNA3.1/hygro vector (containing the hygromycin resistance gene) and DAP12 was cloned into the expression vector pcDNA3.1/zeo (zeomycin resistance). P815 cells were electroporated with 500 μF, 0.25 volt, and selection (G418 and hygromycin and zeomycin) was added 2 days later. Cells expressing a high level of receptors were sorted by flow cytometry. L cells were transfected by calcium phosphate DNA precipitation and selected in the presence of G418, hygromycin and zeomycin. Transfectants were cloned by limiting dilution and cell surface expression of the CD94/NKG2 receptors was monitored using specific antibodies.

The stable transfectants are useful for the identification of antibodies or other agents that interfere with HLA-E binding to

CD94/NKG2. Agents which specifically interfere with HLA-E binding to either inhibitory CD94/NKG2 receptors (e.g. CD94/NKG2A) or stimulatory CD94/NKG2 receptors (e.g. CD94/NKG2C) can be identified by performing binding assays using two different transfectants. A list of known antibodies which interfere with HLA-E binding to CD94/NKG2 is given below:

Antibodies which block the interaction between HLA-E and CD94/NKG2 receptors:

- 1 Anti-HLA-E: 3D12 (Lee et al, 1998, J. Immunol. 160: 4951
- 2 Anti-CD94:

10

15

20

- HP3D9 (Perez-Villar et al, 1995, *J. Immunol.* 154: 5779) commercialised by Pharmingen
- HP-3B1 (Aramburu et al, 1990, *J. Immunol.* 144: 3238) commercialised by Immunotech
- X1A85 (Sivori et al, 1996, Eur. J. Immunol. 26: 2487)
- DX22 (Phillips et al, 1996, Immunity, 5: 163) DNAX
- 3. Anti-NKG2A:
  - Z199 (Carreto et al, 1997, Eur. J. Immunol. 27:563) commercialised by Immunotech
  - Z270 (Sivori et al, 1996, Eur. J. Immunol. 26: 2487)

The techniques described in this example may also be used to transfect mammalian cells such as murine L cells with nucleic acids encoding HLA-E as described herein.

#### **CLAIMS**

- A method of identifying the presence of CD94/NKG2+ NK
   cells and T cells in a sample, which method comprises contacting the sample with HLA-E under binding conditions and detecting binding of HLA-E to the cells.
  - 2. The method according to claim 1, wherein the HLA-E is labeled with a signal moiety and bound HLA-E is detected
- 3. A method of selecting CD94/NKG+ cells from a sample, which method comprises contacting the sample with HLA-E under binding conditions and separating cells bound to the HLA-E from the sample.
  - 4. The method according to claim 3, wherein the HLA-E is immobilised on a support.
- 15 S. A method of killing or inactivating CD94/NKG2+ cells, which method comprises contacting the cells with HLA-E under binding conditions and carrying out targeted killing on the bound cells.
  - 6. The method according to claim 5, wherein the HLA-E is attached to an effector agent.
- 7. The method according to claim 6, wherein the effector agent is a toxic moiety which kills or inactivates the bound cells.
  - 8. The method according to any one of claims 5 to 7, wherein the CD94/NKG2+ cells are provided in a mixed cell population and the non-CD94/NKG2+ cells are recovered.
- 9. A method of modifying NK cell activity against a potential target cell, which method comprises expressing HLA-E at the target cell surface.
  - 10. The method according to claim 9, wherein the HLA-E is expressed by a heterologous DNA stably integrated into the cell.

15

20

25

30

- 11. The method according to claim 10, wherein the cell does not normally express HLA-E.
- 12. The method according to claim 11, wherein the cell is a non-human mammalian cell.
- 5 13. The method according to any one of claims 9 to 12, wherein the cell is present in a group of cells in a xenogeneic organ or tissue.
  - 14. CD94/NKG2+ cells isolated by the method according to claim 3 or claim 4.
  - 15. A population of cells depleted of CD94/NKG2+ cells by the method according to claim 8.
    - 16. A therapeutic method comprising introducing an effective quantity of cells according to claim 14 or claim 15 into a patient.
    - 17. A method comprising removing a sample of cells from a patient, isolating from the sample a population of CD94/NKG2+ cells or a population of CD94/NKG2 depleted cells, by the method according to claim 3 or claim 4, or claim 8, and reintroducing the isolated population of cells into the patient.
  - 18. A non-human mammalian cell which expresses HLA-E at the cell surface by virtue of a nucleic acid encoding HLA-E integrated into the genome of the cell.
    - 19. A non-human mammal comprising cells according to claim18.
    - 20. A method of testing a compound for biological activity, which method comprises:
  - (i) providing cells expressing CD94/NKG2 receptors at the cell surface;
    - (ii) contacting the cells with HLA-E in the presence of the test compound; and
    - (iii) determining whether the presence of the compound affects the binding of HLA-E to the cells.

- 21. The method according to claim 20, wherein the CD94/NKG2 receptors are inhibitory NK cell receptors such as CD94/NKG2A receptors.
- 22. The method according to claim 20, wherein the CD94/NKG2A receptors are stimulatory NK cell receptors such as CD94/NKG2C
- 5 receptors.
  - 23. Compounds identified by the method according to any one of claims 20 to 22, as affecting the binding of HLA-E to CD94/NKG2 receptors.
- 24. A multimer of HLA-E comprising two or more HLA-E

  molecules, said multimer having enhanced binding capability compared to
  non-multimeric HLA-E, optionally labelled with a signal moiety.
  - 25. The multimer according to claim 24, comprising recombinant HLA-E molecules attached via a linker molecule.
- The multimer according to claim 25, wherein the HLA-E
   molecules are biotinylated and attached via a linker molecule such as streptavidin, avidin or extravidin.
  - 27. HLA-E coupled to a toxic agent.
  - 28. The HLA-E according to claim 27, wherein the HLA-E is in the form of a multimer of HLA-E according to any one of claims 24 to 26.
- 20 29. HLA-E immobilised on a support.

### **ABSTRACT**

The invention relates to a method of causing interaction of CD94/NKG2+ cells, which method comprises contacting the cells with recombinant HLA-E under binding conditions. The HLA-E property of binding to CD94/NKG2 receptors on NK cells and a subset of CD8+ T cells is useful for targeting CD94/NKG2+ cells for a variety of purposes such as identification. isolation, killing or inactivation.




Figure 2







Figure 3



**4 / 4** Figure 4





PTO/SB/01 (12-97)

Approved for use through 9/30/00 OMB 0651-0032

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a walld OMB control number. a valid OMB control number

		Attorney Docket Nur	nber	SHP-PT059		
DECLARATION FOI DESIGI	First Named Invento	r	Braud et al.			
PATENT APPL		COMPLETE IF KNOWN				
(37 CFR 1		Application Number	Not	Not Yet Known		
		Filing Date	No	t Yet Known		
Submitted OR Submitted	eclaration ubmitted after Initial	Group Art Unit	No	t Yet Known		
Filing (3	iling (surcharge 37 CFR 1.16 (e)) equired)	Examiner Name	No	t Yet Known		

As a below named inventor, I hereby declare that:									
My residence, post office	address, and citizenship are	as stated below next to my	name						
	first and sole inventor (if onl								
names are listed below) of	names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled  HLA-E BINDING								
	T 1L	A-E DINDING							
the specification of which is attached hereto	(The of the Invention)								
OR	·								
was filed on (MM/I	DD/YYYY) 12/04/	1998 as Unite	d States Applica	tion Number or F	PCT International				
Application Number Po	CT/GB98/03686 and w	as amended on (MM/DD/Y	YYY) 06	5/01/2000	(if applicable)				
I hereby state that I have r	eviewed and understand the	contents of the above ident	tified specificatio	n, including the o	daims, as				
	ent specifically referred to ab		d-1d07-01	-5.4.50					
I acknowledge the duty to	disclose information which is	material to patentability as	defined in 37 Cr	-H 1 56					
i hereby claim foreign prior	ity benefits under 35 U.S.C.	119(a)-(d) or 365(b) of ar	nv foreign applic	ation(s) for pate	nt or inventor's				
America, listed below and hi	ity benefits under 35 USC PCT international applications ave also identified below, by	checking the box, any fores-	on application for	or patent or inven	Inited States of tor's certificate,				
or of any PCT international	application having a filing dat	e before that of the applicat	tion on which pri	ority is claimed					
Prior Foreign Application		Foreign Filing Date	Priority	Certified Co	py Attached?				
Number(s)	Country	(MM/DD/YYYY)	Not Claimed	YES	NO				
9725764.6	Great Britain	12/04/1997			<b>IX</b> 1				
				님	H				
	<del> </del>	<u> </u>							
	ation numbers are listed on a under 35 U.S.C. 119(e) of an				eto:				
Application Number		e (MM/DD/YYYY)	application(s) is	ited pelow					
			Additio	onal provisiona	I application				
	1		numbe	ers are listed o	• •				
				emental priority SB/02B attache	data sheet				

[Page 1 of 2]
Burden Hour Statement This form is estimated to take 0.4 hours to complete Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED. FORMS TO THIS ADDRESS. SEND TO Assistant Commissioner for Patents, Washington, DC 20231.

sign (+) inside this box 

Approved for use through 9/30/98 OMB 0651-0032

Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number valid OMB control number

## **DECLARATION**

#### ADDITIONAL INVENTOR(S) Supplemental Sheet Page 1 of 2

Name of Addition	al Joint Inventor, if any	:		☐ A :	petition	has been filed	for this	s unsigne	d inve	entor
	ne (first and middle [if any])					Family Nam	e or St	umame		
	David S.J.					Α	llan		· ·	
Inventor's Signature				-T		or		Date		
Residence: City		State		Co	untry			Citizensh	ip (	Canada
Post Office Address						w——		<del>,</del>		
Post Office Address		т т				Т		т		
City		State		Z	IP		Country			
Name of Addition	al Joint Inventor, if any	<b>/</b> :		□ A	petition	has been filed	for thi	s unsigne	ed inve	entor
Given Name (first and middle [if any]) Family Name or Surname										
Graham S. Ogg						·				
Inventor's Signature								Date	)	
Residence: City		State		Co	ountry	ودون و و و و و و و و و و و و و و و و و و		Citizen	ship	British
Post Office Address										
Post Office Address										
City		State			ZIP		Coun	itry	,	
Name of Addition	nal Joint Inventor, if an	y:		A	, petitio	n has been file	d for th	is unsign	ed inv	entor
Given Nar	me (first and middle [if any]	)				Family Nar	ne or S	Surname		
	Christopher A.					O'Ca	allagl	nan		
Inventor's Signature								Dat	e	
Residence: City		State		c	ountry			Citizer	ship	British
Post Office Address										
Post Office Address			ı			T	1			
City		State			ZIP		0	Country		

Burden Hour Statement This form is estimated to take 0.4 hours to complete Time will vary depending upon the needs of the individual case. Any comments on the amount of time—you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231 DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS SEND TO Assistant Commissioner for Patents, Washington, DC 20231

valid OMB control number

### **DECLARATION**

# ADDITIONAL INVENTOR(S) Supplemental Sheet Page <u>1</u> of <u>2</u>

Name of Addition	tional Joint Inventor, if any:   A petition has been filed for this unsigned inventor										
Given Na	me (first and middle [if any]	)				F	amily Na	me or S	urname		
	David S.J.						.e	Allan			
Inventor's Signature	D. CCO	2a	_						Date		Aug. 20/20
Residence: City	Oxford Co	State			ු Country		uK		Citizens	ship	Canada
Post Office Address	Trinity C.	olleg	اعر			, <u></u>	· · · · · · · · · · · · · · · · · · ·				
Post Office Address											
City	Oxford	State			ZIP	0×1	3BH	Country	,	Uh	<
Name of Addition	nal Joint Inventor, if an	y:			A petiti	on has	been file	d for thi	s unsig	ned ir	ventor
Given Na	me (first and middle [if any]	)				F	amily Na	me or S	urname		
Graham S.								Ogg			
Inventor's Signature									Da	ate	
Residence: City		State		C	Country				Citize	nship	British
Post Office Address											
Post Office Address								.,			
City		State			ZIP			Count	ry		
Name of Addition	nal Joint Inventor, if an	y:			A petiti	on has	been file	d for thi	s unsigi	ned ir	ventor
Given Na	me (first and middle [if any]	)				F	amily Na	me or S	urname		
	Christopher A.			O'Callaghan							
Inventor's Signature									Da	ite	
Residence: City		State		c	Country				Citize	nship	British
Post Office Address											
Post Office Address										·	
City		State			ZIP			Co	untry		
	<u> </u>	_									

Burden Hour Statement. This form is estimated to take 0.4 hours to complete Time will vary depending upon the needs of the individual case. Any Office, Washington, DC 20231 DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231

Affilie Affilie Affilia Affilia

PTO/SB/02A (3-97) sign (+) inside this box 

+ Approved for use through 9/30/98. OMB 0651-0032 Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

### **DECLARATION**

# ADDITIONAL INVENTOR(S) Supplemental Sheet Page 1\_ of 2\_

		_								<del></del> 1
Name of Addition	al Joint Inventor, if any:									
Given Na	me (first and middle [if any])					Family Na	me or St	ırname		
	David S.J.						Allan			
Inventor's Signature								Date		
Residence: City		State			Country			Citizensh	ip	Canada
Post Office Address			<del></del> -			·				
Post Office Address										
City		State			ZIP		Country			
Name of Addition	nal Joint Inventor, if any:				A petitio	n has been file	ed for this	unsigne	ed inv	entor
Given Nar	me (first and middle [if any])			ightharpoons		Family Na	me or Su	ımame		
	Graham S.						Ogg			
Inventor's Signature								Date	>	
Residence: City		State			Country			Citizen	ship	British
Post Office Address										
Post Office Address										
City		State			ZIP		Count	ry		
Name of Addition	nal Joint Inventor, if any:				A petitio	n has been file	ed for this	unsigne	ed inv	entor
Given Nar	me (first and middle [if any])					Family Na	me or Si	ırname		
	Christopher A					O'C	allagh	<u>an</u>		
Inventor's Signature	Mount.							Date	)	2nd Anyword
Residence: City	Pasadona	State	CA	\	Country	AZU		Citizens	ship	British
Post Office Address	211, South Wilso	in E	4VBVN	18	#30	<u> </u>				
Post Office Address	a st	<del></del>	·	·			<del></del>			
City	Pasadena s	tate	CA		ZIP	911106	Co	untry	US	4

Burden Hour Statement This form is estimated to take 0.4 hours to complete Time will vary depending upon the needs of the individual case. Any Office, Washington, DC 20231 DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS SEND TO: Assistant Commissioner for Patents, Washington, DC 20231

And the first stress with the first section of the

Please type a plus sign (+) inside this box ->	+	
10000 1/10 - 1 3. ( )		

PTO/SB/02A (3-97)

Approved for use through 9/30/98 OMB 0651-0032

Patent and Trademark Office, U.S DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

### **DECLARATION**

# ADDITIONAL INVENTOR(S) Supplemental Sheet Page <u>2</u> of <u>2</u>

Name of Addition	al Joint Inventor, if any	/:	A	petition	has been filed	for this	unsigne	d inve	ntor
	ne (first and middle [if any])			Family Name or Surname					
	Andrew J.			McMichael					
Inventor's Signature							Date		
Residence: City		State	c	ountry		c	itizensh	ip	British
Post Office Address						,,,			
Post Office Address		T		<del></del>	·····				
City		State		ZIP	C	Country			
Name of Addition	al Joint Inventor, if any	y:		A petition	has been filed	for this	unsigne	ed inve	entor
Given Nar	ne (first and middle [if any])				Family Nam	ie or Su	ımame		
Inventor's Signature							Date	е	
Residence: City		State	c	ountry			Citizen	ship	
Post Office Address									
Post Office Address				T-**					
City		State		ZIP		Count	ry		
Name of Addition	nal Joint Inventor, if an	y:		A petitio	n has been filed	d for this	s unsign	ed inv	entor
Given Na	me (first and middle [if any]	)			Family Nan	ne or St	urname		
Inventor's Signature		· · · · · ·	т Т				Dat	e	
Residence: City		State		Country			Citizer	ship	
Post Office Address								···	
Post Office Address			· · · · · · · · · · · · · · · · · · ·	1					
City		State		ZIP		Co	ountry		

Burden Hour Statement This form is estimated to take 0.4 hours to complete Time will vary depending upon the needs of the individual case. Any comments on the amount of time—you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231 DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS—SEND TO Assistant Commissioner for Patents, Washington, DC 20231

PTO/SB/02A (3-97)

Approved for use through 9/30/98 OMB 0651-0032

Patent and Trademark Office, U.S DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

DE	CL	AF	A'	TI	ON
	$\sim$ $\sim$				$\smile$ .

# ADDITIONAL INVENTOR(S) Supplemental Sheet Page \_2\_ of \_2\_

Name of Addition	al Joint Inventor, if any	/:		A	petition	has been filed	for this	unsigne	ed inve	entor
Given Nan	ne (first and middle [if any])			Family Name or Sumame						
	Andrew J.					McM	licha	eL_		
Inventor's	A Color				7			Date		
Signature  Residence: City	Beckley	State	Oxfor	W 00	ountry	UK		Citizensh	ip	British
Post Office Address	Midsonner Cotto	<del>ار د ا</del>	Chu	w ch	Stre	et, Bed	ley,	0x fu	×1,07	39UT, UK
Post Office Address		<del></del>				Т		<del> </del>		
City		State			ZIP		Country			
Name of Addition	nal Joint Inventor, if an	y:		A	petition	has been filed	for this	unsign	ed inv	entor
Given Nar	me (first and middle [if any])	)				Family Nam	e or Su	ımame		
Inventor's Signature					<del> </del>			Dat	е	
Residence: City		State		С	ountry			Citizen	ship	
Post Office Address										
Post Office Address		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			<del>г</del> т					
City		State			ZIP		Count	ry		
Name of Addition	nal Joint Inventor, if an	y:			A petition	n has been filed	for this	s unsign	ed inv	entor
Given Na	me (first and middle [if any]	)				Family Nan	ne or Si	umame		
Inventor's Signature								Dai	te	
Residence: City		State			Country			Citizer	ship	
Post Office Address										
Post Office Address					T	·				
City		State			ZIP		C	ountry		

Burden Hour Statement This form is estimated to take 0.4 hours to complete Time will vary depending upon the needs of the individual case. Any comments on the amount of time—you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231 DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS—SEND TO Assistant Commissioner for Patents, Washington, DC 20231

X

PTO/SB/01 (12-97)

Approved for use through 9/30/00. OMB 0651-0032

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

	Attorney Docket Nur	nber	SHP-PT059			
DECLARATION FOR UTILITY OR DESIGN	First Named Invento	r	Braud et al.			
PATENT APPLICATION	COMPL	COMPLETE IF KNOWN				
(37 CFR 1.63)	Application Number	Not Yet Known				
	Filing Date	Not	t Yet Known			
☐ Declaration ☑ Declaration Submitted OR Submitted after Initial	Group Art Unit	Not	t Yet Known			
with Initial Filing (surcharge Filing (37 CFR 1.16 (e)) required)	Examiner Name	Not	t Yet Known			

(if plural d
International
if applicable)
is, as
or inventor's d States of scertificate,
Attached?
NO
X
H
oplication ta sheet ereto.
in order

[Page 1 of 2]
Burden Hour Statement This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED. FORMS TO THIS ADDRESS. SEND TO. Assistant Commissioner for Patents, Washington, DC 20231.

(Pure June) Record States Stat

the off is

OR

a valid OMB control number

Approved for use through 9/30/00 OMB 0651-0032
Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains

#### **DECLARATION FOR UTILITY OR DESIGN** PATENT APPLICATION (37 CFR 1.63)

☐ Declaration Submitted with Initial Filing

▼ Declaration Submitted after Initial Filing (surcharge (37 ČFR 1.16 (e)) required)

			_		
Attorney Docket Nur	nber	SHP-PT059			
First Named Invento	r	Braud et al.			
COMPLETE IF KNOWN					
Application Number	Not Yet Known				
Filing Date	No	t Yet Known			
Group Art Unit	Not Yet Known				
Examiner Name	No	t Yet Known			

As a below named inven	tor, I hereby declare that:									
My residence, post office a	My residence, post office address, and citizenship are as stated below next to my name									
I believe I am the original, names are listed below) of	I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled									
HLA-E BINDING										
the specification of which	(Title	e of the Invention)								
is attached hereto OR										
was filed on (MM/D	D/YYYY) 12/04/	1998 as United	d States Applicat	tion Number or Pt	CT International					
		as amended on (MM/DD/Y)	1 ( 1 /	/01/2000	(if applicable)					
I hereby state that I have re	eviewed and understand the	contents of the above ident	ified specification	n, including the cl	laıms, as					
	ent specifically referred to about sclose information which is		defined in 37 CF	R 1 56						
Tacknowledge the duty to t	ASSISSE INTOTTIATION WHICH IS	material to parental my de								
certificate, or 365(a) of any	hereby claim foreign priority benefits under 35 USC 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed									
Prior Foreign Application	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Co YES	py Attached?					
Number(s) 9725764.6	Great Britain	12/04/1997			DXI					
3723737.3		. — • • • • • •								
		<u> </u>								
Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.  I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below										
		y United States provisional	application(s) li	sted below						
Application Numbe	r(s) Filing Date	e (MM/DD/YYYY)	☐ ∆dditi	onal provisiona	al application					
				ers are listed o						
				emental priority SB/02B attache						
			P10/	ODIVZD AUDVIE	ad Hereto.					
1	I	1								

[Page 1 of 2]

Burden Hour Statement This form is estimated to take 0.4 hours to complete Time will vary depending upon the needs of the individual case Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231 DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS SEND TO Assistant Commissioner for Patents, Washington, DC 20231

	PTO/SB/01 (12-97) _
Please type a plus sign (+) inside this box -> +	Approved for use through 9/30/00 OMB 0651-0032
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

# **DECLARATION** — Utility or Design Patent Application

United States of United States of Information who	of America r PCT Inter- chairs mat	it under 35 U S C a, listed below ai ernational applica erial to patentabi international filing	nd, inso Ition in t lity as c	ofar as the the manner defined in 3	subje provi 7 CF	ct matter ided by the R 1 56 wh	of each	n or the	claims of	tnis applic	ation is	not disclosed Jedae the duty	to disclose
U.	S. Pare	nt Applicatio		PCT Par	ent				ling Date /YYYY)	е		nt Patent N <i>(if applicab</i>	
		PCT/GB98/0	3686	3					1998				
		CT international a											
		ereby appoint the nnected therewith		ng registere Customer N			to pro	secute	this applica	ation and to	transac	Place Custo	mer
u.,	•			OR Registered			name/re	egistrat	ion number	listed belo	w L	Number Bar Label her	11
			Ī	Re	gistr	ation				ame			tration nber
Alfred Staple	Name er	3			16,6	75			nn M Mas			40	,081
Anthony S N C Frederick		11			28,3 29,6				frey M Gla o H Lu	ыскі			,584 ,761
Randolph J Gerald B Ha	Huis				34,6 37,6								
Additional r	registered	practitioner(s) na	amed or	n suppleme	ntal F	Registered	Practit	tioner Ir	formation	sheet PTO	/SB/02C	attached here	to.
Direct all corre		ence to: 🔲 C	ustom	er Numbe	r [							ondence addr	
	C F	rederick Ko		Code Labe									
Name	Vol	oe and Koer	nig, P.	.C.			<del> </del>						
Address	Sui	ite 400, Or	ne P	enn Ce	ente	er							
Address	16	17 John F.	Ker	nnedy l	3lv	d					,		
City	Phi	ladelphia					Sta	ate	PA	ZIP		19103	3
Country	U.S	S.A		Telep	hone	(2	15) -	568-	6400	Fax	(2	215) 568-	6499
believed to be punishable by	true, and fine or in	I statements mad I further that the opprisonment, or to t issued thereon	ea etata	amente wei	re ma	ide with th	ie knoi	wiedde.	that willful	taise stati	ements	and the like so	made are i
Name of So	ole or F	irst Inventor	<u>.</u>				ПА	petitio	on has be	en filed fo	or this u	insigned inve	ntor
Gi	ven Nar	ne (first and mi	ddle [if	any])					Far	nily Name	e or Su	rname	
		Veroniqu	еM.	•						Bra	aud		
Inventor's Signature												Date	
Residence: (	City			St	ate		Co	ountry				Citizenship	French
Post Office A	ddress												
Post Office A	ddress												
City			State			ZIP				Cor	untry		
V A del time of				n +ha 2	2112		l V dd	litional	Inventor/	c) shoot(s	e) PTO/	SR/02A attac	had harata

PTO/SB/01 (12-97)

Approved for use through 9/30/00 OMB 0651-0032
Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains

## **DECLARATION** — Utility or Design Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filling date of this application

and the nationa	and the national of PC1 international filing date of this application											
U.S	U.S. Parent Application or PCT Parent Number					rent Fi MM/DE					nt Patent I <i>if applicat</i>	
	PC	CT/GB98/03686	}			12/04	/199	18				
								1				
				Ì				ì				
Additional	US OF BOT	international applicat	ion numbers are	e listed on	a sunr	lements	al prio	rity data s	sheet PT	O/SB/0	2B attached I	nereto
As a named in:	enter There	by appoint the following	ng registered or	actitioner/	s) to pr	osecute	this a	application	n and to	transac	t all business	in the Patent
and Trademark	Office conne	ected therewith	Customer Num					]	<b></b>	· [	Place Cust	omer
		_	OR Registered prac	<u> </u>	name/	registrat	tion n	 umber liet	ted belov	" L	Number Bar Label he	
		[2]	Regist	tration	1.41116/	. ogion d						stration
Alfred Ot	Name		Num			Gle	enn M	Name Massina				<b>ımber</b> 0,081
Alfred Staple Anthony S	/olpe		28	,377		Jef		M Glabic			4:	2,584
C Frederick Randolph J			34,	,662 ,626		ка	on L	_u			4	3,761
Gerald B Ha			37,	,633								
Additional r	egistered pr	actitioner(s) named o	n supplemental	Registere	d Pract	itioner I	nform	ation she	et PTO/	SB/02C	attached her	eto
		ce to: Custom					$\neg $				ndence ado	
		or Bar (	Code Label					<u> </u>	———			
Name	Ç. Ere Volpe	ederick Koenig and Koenig, P	III, Esquire .C.									
Address		400, One P		ter,								
Address		John F. Ker										
City	Phila	delphia			State PA ZIP					1910	3	
Country	U.S.		Telephor	ne (2		568	-64	00	Fax	(2	15) 568	-6499
i hereby declar	e that all st true, and fu fine or impr	tatements made here urther that these state asonment, or both, u	ein of my own k	knowledge	are truthe known that s	ue and owledge such wil	that a that Iful fa	ill statem willful fal ise state	ents ma	nde on i ments i nay jeop	information are and the like so pardize the v	nd belief are so made are alidity of the
Name of So	ole or Fir	st Inventor:				A petition	on ha	as been	filed fo	r this u	nsigned inve	entor
Gi	ven Namé	(fikst/and middle [it	f any])		oxdot			Family	y Name	or Sur	name	
	7	Veronique M							Bra	ud		
Inventor's Signature			1/Braid	<b>)</b>				· · · · · · · ·			Date	3/08/0
		and i		1.1	31 X	/		UK			0.00	French
Residence: 0		Milli went		01-	1/3	ountry	1	ham		(6	Citizenship	1
Hon Post Office A	_	32 Hay	)	ane								
Work Post Office A	ر ا	Fostitute	of not	ecula	7 1	redi	cin	e J	John	Rd	d diffe	Hospita
City		Oxford State		ZIF	2	O X3	9	DS	Cou	intry	Ul	<
	inventors	are being named o	on the 2_su	ıpplemen	tal Ad	ditional	i Inve	ntor(s) s	sheet(s)	) PTO/	SB/02A atta	ched hereto

valid OMB control number

**DECLARATION** 

ADDITIONAL INVENTOR(S)
Supplemental Sheet
Page 2 of 2

Name of Addition	al Joint Inventor, if an	y:		_ A pet	ition	has been filed	for this	unsigne	ed inve	entor
Given Nar	me (first and middle [if any])	)				Family Nam	e or Su	ımame		
	Andrew J.					McN	1icha	el		
Inventor's Signature								Date		
Residence: City		State		Count	ry			Citizensh	ip	British
Post Office Address		•							•••	
Post Office Address					.,			·r		
City		State		ZIP		c	Country			
Name of Addition	nal Joint Inventor, if an	y:		A pe	ition	n has been filed	for this	s unsign	ed inv	entor
Given Nar	me (first and middle [ıf any]	)				Family Nam	e or S	umame		
Inventor's Signature				T".				Dat	e	
Residence: City		State	<del></del>	Count	ry			Citizen	ship	
Post Office Address										
Post Office Address				·				<del></del>		
City		State		ZI	Р		Count	ry		
Name of Addition	nal Joint Inventor, if an	ıy:	[	A pe	titior	n has been filed	l for thi	s unsign	ed inv	entor
Given Na	me (first and middle [if any]	])				Family Nam	ne or S	urname		
Inventor's Signature								Dat	e	
Residence: City		State		Coun	try			Citizer	ship	
Post Office Address										
Post Office Address						T		1		
City		State		z	IP		C	ountry		

Burden Hour Statement. This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time, you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED. FORMS TO THIS ADDRESS. SEND TO. Assistant Commissioner for Patents, Washington, DC 20231.

PTO/SB/01 (12-97)

Approved for use through 9/30/00 OMB 0651-0032

Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

	Attorney Docket Nur	mber	SHP-PT059			
DECLARATION FOR UTILITY OR DESIGN	First Named Invento	or	Braud et al.			
PATENT APPLICATION	COMPLETE IF KNOWN					
(37 CFR 1.63)	Application Number	Application Number   Not Yet Known				
	Filing Date	Not	t Yet Known			
☐ Declaration ☑ Declaration Submitted OR Submitted after Initial	Group Art Unit	Not	Yet Known			
with Initial Filing (surcharge (37 CFR 1.16 (e)) required)	Examiner Name	Not	Yet Known			

As a below named inventor, I hereby declare that:									
My residence, post office address, and citizenship are as stated below next to my name									
I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled									
	HL.	A-E BINDING							
the specification of which is attached hereto	(	e of the Invention)							
OR was filed on (MM/0	DD/YYYY) 12/04/	1998 as United	d States Applica	tion Number or I	PCT International				
Application Number Po	CT/GB98/03686 and w	as amended on (MM/DD/Y)	YYY) 06	5/01/2000	(if applicable).				
	eviewed and understand the		tified specificatio	n, including the	claims, as				
	ent specifically referred to abo			·n					
I acknowledge the duty to	disclose information which is	material to patentability as	defined in 37 CF	-H 1 56					
i hereby claim foreign prior certificate, or 365(a) of any America, listed below and h- or of any PCT international a	PCT international application and polication in PCT international application in PCT i	on which designated at lea checking the box, any forei	ist one country ( ion application fo	other than the l or patent or inve	United States of				
Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Co	opy Attached? NO				
9725764.6	Great Britain	12/04/1997	0000		<b>X</b>				
Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto									
I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below									
Application Number(s) Filing Date (MM/DD/YYYY)									
			numbe supple	onal provisiona ers are listed o emental priorit SB/02B attach	on a y data sheet				

[Page 1 of 2]
Burden Hour Statement This form is estimated to take 0.4 hours to complete Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED. FORMS TO THIS ADDRESS SEND TO. Assistant Commissioner for Patents, Washington, DC 20231.

**DECLARATION** — Utility or Design Patent Application

United States of United States of information who	of Americ or PCT In ich is ma	fit under 35 U S ( ca, listed below a iternational applio iterial to patentat international filin	ind, ins ation in ility as	ofar as the the mann defined in	ne subje ner prov n 37 Cf	ect matter rided by th R 1 56 wi	of each e first o	h of th	e claims of the	ns applic	ation is	not disclosed wiedge the duty	in the prior
U.	S. Pare	ent Applicati Numb		PCT Pa	arent				iling Date D/YYYY)			nt Patent N (if applicab	
		PCT/GB98/	0368	6					/1998				
		PCT international											
		ereby appoint the					) to pro	secute	this applicate	on and to	transa	ct all business  Place Custo	
and mademan	Omoc oc	model more m	·· 🖂	Customer OR Registers		<b>L</b>	name/re	egistrat	ion number la	sted belo	w L	Number Bar Label he	Code
	Nam				Registr	ation			Nan		***************************************	_	stration mber
Alfred Staple	er	е		<u> </u>	Numl 16,6	375			enn M Massir	na		40	,081
Anthony S N C Frederick		III			28,0 29,6				frey M. Glabio o H. Lu	CKI			2,584 1,761
Randolph J. Gerald B. Hi	Huis				34,6 37,6								
Additional r	egistered	d practitioner(s) n	amed o	n supplen	nental f	Registered	Practiti	ioner li	nformation sh	eet PTO	/SB/020	attached here	to
Direct all corr	esponde	ence to: 🔲 🤇	Sustan	ner Numb	ner [		•		7	[F] A			
	·	c	r Bar	Code Lat	bel [				OR	<u> </u>	orrespo	ondence add	ess below
Name	C. I Vol	Frederick Ko pe and Koer	enig nig, P	III, Esq .C.	uire								
Address	Su	ite 400, O	ne P	enn C	Cente	er							
Address	16	17 John F	. Ke	nnedy	Blv	d.		·····		·		****	
City	Ph	iladelphia				·	Sta	ite	PA	ZIP		19103	}
Country	U.S	S.A.		Tele	phone	(2	15) 5	568-	6400	Fax	(2	215) 568-	6499
believed to be punishable by	true, and fine or in	I statements mad d further that the nprisonment, or I t issued thereon.	se stat	ements w	ere ma	ide with th	ie know	vledge	that willful fa	lse state	ments	and the like so	made are
Name of So	ole or F	First Inventor					□ A	petitic	n has been	filed fo	r this u	insigned inve	ntor
Gi	ven Nar	ne (first and mi	ddle [i	f anyl)			<u></u>		Famil	y Name	or Su	rname	
		Veroniqu	е М	•						Bra	ud		
Inventor's Signature							<b></b>					Date	
Residence: C	ity			s	tate		Co	untry				Citizenship	French
Post Office Ad	ddress												
Post Office A	ddress												
City			State			ZIP				Cou	ntry		
Additional	invento	rs are being na	med o	n the 2	sup	plementa	l Addit	tional	Inventor(s)	sheet(s)	PTO/	SB/02A attac	hed hereto

Please type a	plus sign (+)	inside this	box →	+

PTO/SB/02A (3-97)

Approved for use through 9/30/98 OMB 0651-0032

Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number valid OMB control number

### **DECLARATION**

ADDITIONAL INVENTOR(S) Supplemental Sheet Page <u>2</u> of <u>2</u>

Name of Addition	nal Joint Inventor, if a	ny:	[	A	petitio	n has been file	d for t	nis unsigi	ned in	ventor
Given Na	me (first and middle [if any	y])				Family Nar	ne or	Sumame		
	Andrew J.					McI	Mich	ael		
Inventor's Signature				<u> </u>				Date		
Residence: City		State		Co	untry			Citizens	hip	British
Post Office Address										
Post Office Address				····						
City		State		Z	IP		Countr	у		
Name of Addition	nal Joint Inventor, if a	ny:		] A [	petitio	n has been filed	d for th	ni <b>s</b> unsigr	ned inv	ventor
Given Na	me (first and middle [if any	/])				Family Nan	ne or	Sumame		
Inventor's Signature								Da	te	
Residence: City		State		Col	untry			Citize	nship	
Post Office Address										
Post Office Address										
City		State			ZIP		Cour	ıtry		
Name of Addition	nal Joint Inventor, if ar	ny:		] A p	petition	n has been filed	d for th	is unsigr	ed inv	entor
Given Nar	ne (first and middle [if any	1)				Family Nam	ne or \$	Sumame		
Inventor's Signature								Da	te	
Residence: City		State		Cou	untry			Citizer	ıship	
Post Office Address										
Post Office Address					<del></del>	T				
City		State			ZIP		0	ountry		

Burden Hour Statement. This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time, you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED. FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

#### **DECLARATION FOR UTILITY OR DESIGN** PATENT APPLICATION (37 CFR 1.63)

☐ Declaration Submitted OR with Initial Filing

☑ Declaration Submitted after Initial Filing (surcharge (37 ČFR 1.16 (e)) required)

Attorney Docket Nur	nber	SHP-PT059				
First Named Invento	r	Braud et al.				
COMPL	ETE II	KNOWN				
Application Number	Not	Yet Known				
Filing Date	No	t Yet Known				
Group Art Unit	No	t Yet Known				
Examiner Name	No	t Yet Known				

As a below named inve	ntor, I hereby declare that:								
My residence, post office address, and citizenship are as stated below next to my name									
wry residerice, post office	address, and citizenship are	as stated below next to my	name						
I believe I am the original	, first and sole inventor (if only	y one name is listed below)	or an original, f	irst and joint inventor (if plural					
names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled  HLA-E BINDING									
TIEN E DINDING									
the specification of which	h <i>(Titl</i> -	e of the Invention)							
Is attached hereto	ı								
was filed on (MM/E	00/YYYY) 12/04/	1998 as Unite	d States Applica	ation Number or PCT International					
A b d' Mr b	<u> </u>								
<b>L</b>		as amended on (MM/DD/Y	/	6/01/2000 (if applicable)					
I hereby state that I have namended by any amendment	eviewed and understand the ent specifically referred to abo	contents of the above ident	ified specification	n, including the claims, as					
Lacknowledge the duty to	disclose information which is	material to natentability as	defined in 37 CF	FR 1 58					
		material to paternasinty as	delined in or or	71 7 50					
certificate, or 365(a) of any America, listed below and ha	PCT international application	in which designated at lea checking the box, any forei	st one country	cation(s) for patent or inventor's other than the United States of or patent or inventor's certificate, orty is claimed					
Prior Foreign Application		Foreign Filing Date	Priority	Certified Copy Attached?					
Number(s) 9725764.6	Country Great Britain	(MM/DD/YYYY)	Not Claimed	YES NO					
9723704.0	Great Britain	12/04/1997							
Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto									
I hereby claim the benefit under 35 U S C 119(e) of any United States provisional application(s) listed below  Application Number(s) Filing Date (MM/DD/YYYY)									
- spendada - radiiladi	1-7 Filing Date	5 (MINUDE/1111)	numbe supple	onal provisional application ers are listed on a emental priority data sheet SB/02B attached hereto.					

[Page 1 of 2]
Burden Hour Statement This form is estimated to take 0.4 hours to complete Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO Assistant Commissioner for Patents, Washington, DC 20231

Please type a	plus sign (+)	inside this box	 +

PTO/SB/01 (12-97)
Approved for use through 9/30/00 OMB 0651-0032
Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE
a valid OMB control number
PTO/SB/01 (12-97)
Approved for use through 9/30/00 OMB 0651-0032
Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE
a valid OMB control number

# **DECLARATION** — Utility or Design Patent Application

United States information wand the nation	or PCT thich is mall or PC	nefit under 35 U S rica, listed below International app naterial to patent T international fil	lication ability a ling date	in the manner pas defined in 37 e of this applica	orovided by CFR 1.56 tion	er or each o	tine claims	of this app	dication	n is not disclos	ed in the pri
U	I.S. Pai	rent Applica Num		or PCT Pare	nt		Filing Da		Pa	rent Patent	
		PCT/GB98	3/036	86		12/04/1998			7.00		
Additiona	1110 00										
As a named in	U.S. or	PCT international	al applic	cation numbers	are listed on	a suppleme	ental priority d	ata sheet	PTO/S	B/02B attached	d hereto
and Trademark	k Office o	hereby appoint the connected therew	ith	wing registered Customer Nu	mber	s) to prosec	ute this applic	ation and	to trans	sact all busines Place Cu	
				OR Registered pr	<del></del>	name/regis	tration numbe	er listed be	low	Number Ba Label f	ar Code
	Nan	ne		Regi	stration mber			lame			gistration lumber
Alfred Stapler Anthony S Volpe			1	6,675 8,377		Glenn M Mas Jeffrey M Gla		****		40,081	
C Frederic Randolph J	k Koenig	III		2	9,662		Kao H Lu	ADICKI			42,584 43,761
Gerald B				34,626 37,633							
Additional	registere	d practitioner(s)	named	on supplements	al Registere	Practitione	r Information	sheet PT0	D/SB/02	2C attached he	reto
Direct all corr	respond	ence to:	Custor or Bar	mer Number Code Label						oondence ad	
Name	C. Vol	Frederick Ko pe and Koe	Frederick Koenig III, Esquire pe and Koenig, P.C.								
Address	Su	ite 400, O	ne F	Penn Cen	ter						
Address	16	17 John F	. Ke	nnedy Bl	vd.						
City	Ph	iladelphia				State	PA	ZIP		1910	3
Country		S.A.		Telepho		15) 568		Fax		215) 568	
ounishable by	fine or in	Il statements ma d further that the nprisonment, or t issued thereon									
Name of So	ole or F	irst Inventor	r:			☐ A petit	tion has bee	en filed fo	r this	unsigned inve	entor
Gi	ven Nar	ne (first and mi					Fam	nily Name	or Su	ırname	
		Veroniqu	іе М	•				Bra	aud		
Inventor's Signature										Date	
Residence: C	ity			State		Country	,			Citizenship	French
Post Office Ac	idress										
Post Office Ac	dress										
City			State		ZIP			Cou	ntrv		·
Additional i	inventor	s are being na	med o	n the 2 sur		Additional	Inventor(s)			SB/02A attac	had harata
								211001(3)	10	CUIVEM allac	mou nerett

Planca	tune	a plu	e eign	1.1	inside t	hio	hau	•	
i içasc	rype	a piu	a aigii	(+)	moide (	.1115	UUX	~	1

PTO/SB/02A (3-97)

Approved for use through 9/30/98 OMB 0651-0032

Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number. valid OMB control number

L
_

#### **DECLARATION**

# ADDITIONAL INVENTOR(S) Supplemental Sheet Page 2 of 2

Name of Addition	onal Joint Inventor, if	any:		Ľ.	A petiti	on has been file	ed for t	his unsig	ned ir	ventor	
Given Na	ame (first and middle [if a	ny])			Family Name or Sumame						
	Andrew J.				McMichael						
Inventor's Signature							Date				
Residence: City		State			Country			Citizens	hip	British	
Post Office Address						•	***				
Post Office Address			1		······						
City		State			ZIP		Countr	у			
Name of Additional Joint Inventor, if any:  A petition has been filed for this unsigned inventor											
Given Name (first and middle [if any]) Family Name or Sumame											
Inventor's Signature					Dat	te					
Residence: City		State			Country			Citizer	ship		
Post Office Address											
Post Office Address											
City		State			ZIP		Coun	try			
Name of Additior	nal Joint Inventor, if a	ny:			A petitio	n has been filed	d for thi	is unsign	ed inv	entor	
Given Nar	ne (first and middle [if an	y])				Family Nam	ne or S	umame			
Inventor's Signature								Date	e .		
Residence: City		State			Country			Citizen	ship		
Post Office Address		****									
Post Office Address											
City		State			ZIP		Co	ountry			

Burden Hour Statement This form is estimated to take 0.4 hours to complete Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231 DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS SEND TO Assistant Commissioner for Patents, Washington, DC 20231

OR

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

#### DECLARATION FOR UTILITY OR **DESIGN** PATENT APPLICATION (37 CFR 1.63)

□ Declaration Submitted with Initial Filing

Declaration Submitted after Initial Filing (surcharge (37 CFR 1.16 (e)) required)

Attorney Docket Nur	nber	SHP-PT059					
First Named Invento	r	Braud et al.					
COMPLETE IF KNOWN							
Application Number	Not Yet Known						
Filing Date	No	t Yet Known	_				
Group Art Unit	Not Yet Known						
Examiner Name	No	t Yet Known					

As a below named inve	ntor, I hereby declare that:									
My residence, post office	address, and citizenship are	as stated below next to m	y name							
I believe I am the original names are listed below) of	, first and sole inventor (if only the subject matter which is	ly one name is listed below claimed and for which a ba	r) or an original, fi	irst and joint inv	entor (if plural					
		A-E BINDING	atom to coognic of	Tate any chalon t	s inded					
the specification of which	h <i>(Tit</i>	le of the Invention)								
is attached hereto										
OR  Was filed on (MM/DD/YYYY)  12/04/1998  as United States Application Number or PCT International										
Application Number PCT/GB98/03686 and was amended on (MM/DD/YYYY) 06/01/2000 (if applicable)										
I hereby state that I have n	eviewed and understand the	contents of the above idea		n, including the						
I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above										
I acknowledge the duty to	disclose information which is	material to patentability as	defined in 37 CF	'R 1 56						
America, listed below and ha	ity benefits under 35 USC PCT international application ave also identified below, by application having a filing date	on which designated at lea	ist one country o	other than the	I Initad Ctatas of					
Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Co	opy Attached? NO					
9725764.6	Great Britain	12/04/1997		123	140					
i				日	<u> </u>					
				H	H					
Additional foreign applica	ation numbers are listed on a	supplemental priority data	sheet PTO/SB/0	2B attached her	reto					
I hereby claim the benefit u	inder 35 USC 119(e) of any	y United States provisional	application(s) list	ted below						
Application Number	(s) Filing Date	(MM/DD/YYYY)								
			Additio	nal provisions	al application					
				ers are listed o						
				mental priority						
			P10/S	B/02B attache	ea nereto.					
					1					

[Page 1 of 2]

Burden Hour Statement This form is estimated to take 0.4 hours to complete Time will vary depending upon the needs of the individual case. Any comments on the amount of time, you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231 DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS SEND TO. Assistant Commissioner for Patents, Washington, DC 20231

	r	
Please type a plus sign	(+) inside this box ->	+

PTO/S6/01 (12-97)
us sign (+) inside this box + + Approved for use through 9/30/00. OMB 0651-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Patent And

#### DECLARATION Hility or Docion D

		ANA HUN -	- Utilit	y or	Desi	gn Pat	:ent	<u>Ap</u>	plicati	<u>ion</u>
United States information with and the nation	or PCT which is r nal or PC	nefit under 35 U S C 120 erica, listed below and, ins International application in material to patentability as CT international filing date	the manner pro defined in 37 C of this application	ovided by t CFR 1.56 v	the feet	or the claims or	this applic	cation is	is not disclose	ed in the pr
U	.S. Pa	rent Application or Number	PCT Parent	t		t Filing Date /DD/YYYY)	е		ent Patent (if applica	
		PCT/GB98/0368	6			04/1998	1		(II appiio	anie)
Additiona	IUS or	r PCT international applica	tion numbers ar	e listed on	a suppleme	ental priority da	ta sheet P	TO/S8/	02B attached	l hereto
As a named my and Trademark	/entor, i c Office (		ing registered pr Customer Numl OR Registered prac	ber				▶	act all busines Place Cus Number Ba Label h	stomer ar Code
	Nar		Regist	tration	Raine/region			<u>/W                                    </u>		istration
Aifred Stapl	ler	me		,675		Glenn M. Mass			N	lumber 40,081
Anthony S C Frederick Randolph J Gerald B. H	k Koenig Huis Ialt, Jr		28, 29, 34, 37,	.377 Jeffrey M Glabicki .662 Kao H Lu .633				4	42,584 43,761	
		ed practitioner(s) named or	n supplemental	Registered	l Practitione	r Information sl	heet PTO/	'SB/02C	attached her	reto
	Direct all correspondence to: Customer Number or Bar Code Label  OR X Correspondence address below									
Name	C. Vo	Frederick Koenig I Ipe and Koenig, P.	III, Esquire							
Address		uite 400, One Pe		er						
Address	16	317 John F. Ken	nedy Blv	d.	-					
City		niladelphia	<b>—</b>	<del></del>	State	PA	ZIP		1910	3
Country		S.A.	Telephone		15) 568		Fax		15) 568	
punishable by f	fine or in	all statements made herein of further that these states mprisonment, or both, und nt issued thereon.	of my own kn ments were ma der 18 U.S.C. 1	owledge a de with the 1001 and t	re true and e knowledg that such w	that all statem e that willful fa ullful false state	nents mac alse staten ements m	de on ir nents a ay jeop	nformation an and the like s pardize the va	nd belief are to made are alidity of the
		First Inventor:			☐ A petit	tion has been	i filed for	this un	nsigned inve	ntor
Giv	<u>ren Nar</u>	me (first and middle [if a	anyl)				y Name o	or Surr	name	
		Veronique M.			:		Brau			
Inventor's Signature				- 11.11					Date	
Residence: Ci	ity		State		Country	,			Citizenship	French
Post Office Ad	dress									
Post Office Ad	dress							·		
City		State	-	ZIP		1	Count	try		
Additional in	nventor	rs are being named on	the 2_suppl	lemental	Additional	I Inventor(s) s		·	B/02A attaci	hed hereto
									2/02/14:44	Hea mores

PTO/SB/02A (3-97)

sign (+) inside this box -> + Approved for use through 9/30/98. OMB 0651-0032

Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

#### **DECLARATION**

### ADDITIONAL INVENTOR(S) Supplemental Sheet Page 1 of 2

Name of Additio	nal Joint Inventor, if a	ny:			A petitio	on has been file	ed for ti	nis unsign	ed in	ventor
Given Na	ime (first and middle [if any	<u>(])</u>		Family Name or Surname						
	David S.J.						Allan			
Inventor's Signature								Date		
Residence: City		State			Country			Citizensi	qir	Canada
Post Office Address										
Post Office Address										
City		State			ZIP		Countr	у		
Name of Additional Joint Inventor, if any:										
Given Name (first and middle [if any]) Family Name or Surname										
Graham S.							Ogg	7		
Inventor's Signature						· · · · · · · · · · · · · · · · · · ·		Date	e	
Residence: City		State		(	Country			Citizen	ship	British
Post Office Address		· · · · · · · · · · · · · · · · · · ·								
Post Office Address			·		·					
City		State			ZIP		Cour	itry		
Name of Addition	nal Joint Inventor, if an	ıy:			A petitio	n has been file	d for th	is unsigne	ed inv	rentor
Given Nar	me_(first and middle [if any]	)				Family Nan	ne or S	Sumame		
	Christopher A.	_				O'Ca	allagi	nan		
Inventor's Signature								Date	,	
Residence: City		State			Country			Citizens	ship	British
Post Office Address										
Post Office Address	···		<del></del>		τ	·	<del></del>	· · · · · · · · · · · · · · · · · · ·		
City		State			ZIP		С	ountry		

Burden Hour Statement. This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time, you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED. FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

e 1

sign (+) inside this box  $\rightarrow$  + Approved for use through 9/30/98. OMB 0651-0032

Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

#### **DECLARATION**

# ADDITIONAL INVENTOR(S) Supplemental Sheet Page 1 of 2

Name of Addition	nal Joint Inventor, if a	ny:			A petitio	n has been filed	for th	nis unsign	ed inv	ventor
Given Na	me (first and middle [if any	/])				Family Nam	e or	Surname		
	David S.J.		-	Allan						
Inventor's Signature			•					Date		
Residence: City		State			Country	······		Citizensl	nip	Canada
Post Office Address										
Post Office Address										
City		State			ZIP		Countr	у		
Name of Additional Joint Inventor, if any:  A petition has been filed for this unsigned inventor										
Given Name (first and middle [if any]) Family Name or Sumame										
Graham S. Ogg										
Inventor's Signature	6500							Dat	e	21/8/0
Residence: City	OFFICE	State	O>	وسر	Country	UK		Citizen	ship	British
Post Office Address	i9 S+ C	-HD	181	कर	· KEJ	25 (2)	X	<b>丢</b>		
Post Office Address			6	B	X.					
City	0,450	State	On	ىرە	ZIP	OXF24S	Cour	ntry	4	<b></b>
Name of Addition	nal Joint Inventor, if ar	ny:			A petitior	n has been filed	for th	nis unsign	ed inv	entor
Given Nar	ne (first and middle [if any	])				Family Nam	e or s	Sumame		
	Christopher A.					O'Ca	llag	han		
Inventor's Signature			.,					Dat	e	
Residence: City		State			Country			Citizen	ship	British
Post Office Address										
Post Office Address			1		Γ	T	·			
City		State			ZiP		c	Country		

Burden Hour Statement. This form is estimated to take 0.4 hours to complete Time will vary depending upon the needs of the individual case. Any comments on the amount of time—you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231 DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS SEND TO Assistant Commissioner for Patents, Washington, DC 20231